

# Summary of product characteristics for a biocidal product

**Product name:** Spray On

**Product type(s):** PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

**Authorisation number:** EU-0027669-0000

**R4BP 3 asset reference number:** EU-0027669-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	4
5. General directions for use	8
5.1. Instructions for use	8
5.2. Risk mitigation measures	8
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	9

## Administrative information

### 1.1. Trade names of the product

Spray On
Medizid Rapid Pro
Medizid Rapid Optima Pro
MyClean DS plus
MyClean DS basic
Bavacid Quick
Immix Clean Pro

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	Laboratorium Dr. Deppe GmbH
	Address	Hooghe Weg 35 47906 Kempen Germany
<b>Authorisation number</b>	EU-0027669-0000	
<b>R4BP 3 asset reference number</b>	EU-0027669-0000	
<b>Date of the authorisation</b>	05/07/2023	
<b>Expiry date of the authorisation</b>	31/07/2032	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	Laboratorium Dr. Deppe GmbH
<b>Address of the manufacturer</b>	Hooghe Weg 35 47906 Kempen Germany
<b>Location of manufacturing sites</b>	Laboratorium Dr. Deppe GmbH, Hooghe Weg 35 47906 Kempen Germany

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1354 - Propan-1-ol
<b>Name of the manufacturer</b>	OQ Chemicals GmbH (formerly Oxea GmbH)
<b>Address of the manufacturer</b>	Rheinpromenade 4a 40789 Monheim am Rhein Germany
<b>Location of manufacturing sites</b>	OQ Chemicals Corporation (formerly Oxea Corporation), 2001 FM 3057 TX 77414 Bay City United States

<b>Active substance</b>	1354 - Propan-1-ol
<b>Name of the manufacturer</b>	BASF SE
<b>Address of the manufacturer</b>	Carl-Bosch-Str. 38 67056 Ludwigshafen Germany
<b>Location of manufacturing sites</b>	BASF SE, Carl-Bosch-Str. 38 67056 Ludwigshafen Germany

<b>Active substance</b>	1354 - Propan-1-ol
<b>Name of the manufacturer</b>	SASOL Chemie GmbH & Co. KG
<b>Address of the manufacturer</b>	Secunda Chemical Operations, Sasol Place, 50 Katherine Street 2090 Sandton South Africa
<b>Location of manufacturing sites</b>	Secunda Chemical Operations, PDP Kruger Street 2302 Secunda South Africa

<b>Active substance</b>	1355 - Propan-2-ol
<b>Name of the manufacturer</b>	Stockmeier Chemie GmbH & Co. KG
<b>Address of the manufacturer</b>	Am Stadtholz 37 33609 Bielefeld Germany
<b>Location of manufacturing sites</b>	INEOS Solvent Germany GmbH, Römerstrasse 733 47443 Moers Germany
<b>Active substance</b>	1355 - Propan-2-ol
<b>Name of the manufacturer</b>	Brenntag GmbH
<b>Address of the manufacturer</b>	Stinnes-Platz 1 45472 Mülheim an der Ruhr Germany
<b>Location of manufacturing sites</b>	Shell Nederland Raffinaderij B.V. 3196 KK Rotterdam-Pernis Netherlands
	Exxon Mobil LA 70805 Baton Rouge United States

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,925
Propan-2-ol		Active Substance	67-63-0	200-661-7	44,73

### 2.2. Type of formulation

AL - Any other liquid
-----------------------

## 3. Hazard and precautionary statements

**Hazard statements**

Highly flammable liquid and vapour.

Causes serious eye damage.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

**Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Avoid breathing vapours.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

Immediately call a POISON CENTER/doctor.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place.Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

**4. Authorised use(s)****4.1 Use description****Use 1 - hard non-porous small surface disinfection RTU liquid****Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

**Where relevant, an exact description of the authorised use**

Not relevant

**Target organism(s) (including development stage)**

Scientific name: other  
Common name: Bacteria  
Development stage:

Scientific name: other  
Common name: Yeasts  
Development stage:

Scientific name: other  
Common name: Enveloped viruses  
Development stage:

<b>Field(s) of use</b>	Indoor  Health care facilities and pharmaceutical and cosmetic industry, for example in patient-near surrounding, working areas/desks, general equipment (excluding food contact surfaces): disinfection of small hard/non-porous surfaces. For professional use only.
<b>Application method(s)</b>	Method: Manual application Detailed description:  Ready-to-use surface disinfectant at room temperature (20±2 °C). The entire surface to be disinfected is wetted by pouring or spraying from short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m <sup>2</sup> ) to keep the surface wet during the contact time.
<b>Application rate(s) and frequencies</b>	Application Rate: Minimum exposure time: • for the control of bacteria, yeasts and enveloped viruses: 60 sec Dilution (%): Ready-to-use product Number and timing of application: A reasonable frequency of disinfection in a patient's room is 1-2 per day. Maximum number of applications is 6 per day. No safety intervals need to be considered between the application phases.
<b>Category(ies) of users</b>	Industrial  Professional
<b>Pack sizes and packaging material</b>	125, 150, 500, 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head); 5000 ml transparent/white HDPE canister with HDPE screwed cap.

#### 4.1.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection. Maximum number of applications is 6 per day.

#### 4.1.2 Use-specific risk mitigation measures

See general directions for use

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

### 4.2 Use description

#### Use 2 - hard non-porous small surface disinfection RTU liquid

##### Product type

PT04 - Food and feed area (Disinfectants)

##### Where relevant, an exact description of the authorised use

Not relevant

##### Target organism(s) (including development stage)

Scientific name: other  
Common name: Bacteria  
Development stage:

Scientific name: other  
Common name: Yeasts  
Development stage:

##### Field(s) of use

Indoor

Health care facilities and in food industry, for example food preparation and handling in kitchens/restaurants): disinfection of small hard/non-porous surfaces.  
For professional use only.

##### Application method(s)

Method: Manual application  
Detailed description:

Ready-to-use surface disinfectant at room temperature (20±2 °C).  
The entire surface to be disinfected is wetted by pouring or spraying from short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m<sup>2</sup>) to keep the surface wet during the contact time.

##### Application rate(s) and frequencies

Application Rate: Minimum exposure time: for the control of bacteria and yeasts at 20°C: 60 sec  
Dilution (%): Ready-to-use product  
Number and timing of application:  
The products can be used as often as necessary. A reasonable frequency in kitchens is



	1-2 per day. No safety intervals need to be considered between the application phases.
<b>Category(ies) of users</b>	Industrial Professional
<b>Pack sizes and packaging material</b>	125, 150, 500, 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head); 5000 ml transparent/white HDPE canister with HDPE screwed cap.

#### 4.2.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection.

#### 4.2.2 Use-specific risk mitigation measures

See general directions for use

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

## 5. General directions for use

### 5.1. Instructions for use

For professional use only.

### 5.2. Risk mitigation measures

The use of eye protection during handling of the product is mandatory.  
Keep out of reach of children.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures: Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Prevent entry to sewers and public waters. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

### 5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months  
Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.  
Recommended storage temperature: 0-30°C  
Do not store at temperatures below 0°C  
Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

## 6. Other information