

# Summary of product characteristics for a biocidal product

**Product name:** Dermades PVP

**Product type(s):** PT03 - Veterinary hygiene (Disinfectants)

**Authorisation number:** EU-0022265-0000

**R4BP 3 asset reference number:** EU-0022265-0009

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	4
4. Authorised use(s)	4
5. General directions for use	6
5.1. Instructions for use	6
5.2. Risk mitigation measures	6
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

## Administrative information

### 1.1. Trade names of the product

Dermades PVP
Wynngold 10% Iodine Solution
Iodin Skin Disinfectant PVP

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	CID LINES NV
	Address	Waterpoortstraat 2 8900 Ieper Belgium
<b>Authorisation number</b>	EU-0022265-0000 1-6	

<b>R4BP 3 asset reference number</b>	EU-0022265-0009
<b>Date of the authorisation</b>	03/09/2020
<b>Expiry date of the authorisation</b>	31/08/2030

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	CID LINES NV
<b>Address of the manufacturer</b>	Waterpoortstraat 2 8900 Ieper Belgium
<b>Location of manufacturing sites</b>	Waterpoortstraat 2 8900 Ieper Belgium

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	SQM S.A.
<b>Address of the manufacturer</b>	Los Militares, Piso 4 4290 Santiago Chile
<b>Location of manufacturing sites</b>	Nueva Victoria plant 00 Pedro de Valdivia Chile

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	Cosayach Nitratos S.A.
<b>Address of the manufacturer</b>	Amunategui 178 00 Santiago Chile
<b>Location of manufacturing sites</b>	Cala Cala 00 Pozo Almonte Chile

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	ACF Minera S.A.
<b>Address of the manufacturer</b>	San Martin No 499 00 Iquique Chile
<b>Location of manufacturing sites</b>	Lagunas mine 00 Pozo Almonte Chile

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	ISE Chemicals Corporation
<b>Address of the manufacturer</b>	3-1, Kyobashi 1-Chome 104-0031 Tokyo Japan
<b>Location of manufacturing sites</b>	3695 Kitaimaizumi 299-3201 Oamishirasato city Japan

<b>Active substance</b>	1349 - Polyvinylpyrrolidone iodine
<b>Name of the manufacturer</b>	ISP Chemicals LLC, Affiliate of Ashland Inc
<b>Address of the manufacturer</b>	455 N. main st (HWY 95) KY 42029 Calvert City United States
<b>Location of manufacturing sites</b>	455 N. main st (HWY 95) KY 42029 Calvert City United States
<b>Active substance</b>	1349 - Polyvinylpyrrolidone iodine
<b>Name of the manufacturer</b>	Pantheon FZE (DMCC branch)
<b>Address of the manufacturer</b>	403, Reef Tower, Jumeira Lake Tower Shaikh Zayed Road 00 Dubai United Arab Emirates
<b>Location of manufacturing sites</b>	Cala Cala 00 Pozo Almonte Chile

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active Substance	7553-56-2	231-442-4	0
Polyvinylpyrrolidone iodine		Active Substance	25655-41-8		10
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated		68131-39-5	500-195-7	2
Phosphoric acid	Phosphoric acid		7664-38-2	231-633-2	0
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO		68439-46-3		0

### 2.2. Type of formulation

AL - Any other liquid
-----------------------

### 3. Hazard and precautionary statements

#### Hazard statements

Harmful to aquatic life with long lasting effects.  
May cause damage to organs (thyroid) through prolonged or repeated exposure (oral).

#### Precautionary statements

Avoid release to the environment.  
Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.  
Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.  
Do not breathe spray.

### 4. Authorised use(s)

#### 4.1 Use description

##### Use 1 - PT3- RTU Udder disinfectant PVP-Iodine

#### Product type

PT03 - Veterinary hygiene (Disinfectants)

#### Where relevant, an exact description of the authorised use

-

#### Target organism(s) (including development stage)

Scientific name:  
Common name: Bacteria  
Development stage:

Scientific name:  
Common name: Yeasts  
Development stage:

#### Field(s) of use

Indoor

Ready to use skin disinfectant, only for use on intact skin of:  
- the udder of dairy and beef cattle: before calving  
- the udder of sows: before farrowing

#### Application method(s)

Spraying -  
-

#### Application rate(s) and frequencies

The product is ready to use. - -  
Apply to:

- The udder of dairy and beef cattle: 1 spray on each teat (equivalent to 4,8 mL per application)

	<ul style="list-style-type: none"> <li>The udder of sows: 15 to 20 mL per animal</li> </ul>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	1L, 5L, 10L, 20L, 25L, 30L, 60L, 200L, 600L, 1000L HDPE

#### 4.1.1 Use-specific instructions for use

The product must be brought to a temperature above 20°C before use. The use of a dosing pump for filling the product into the application equipment is recommended.

- Dairy and beef cattle: Apply the product by spraying on the udder before calving (1 spray / teat equivalent to 4,8 mL per application). Disinfection takes place once, one day before calving and once, one day after calving. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).
- Sows, on the udder before farrowing: Assume 15 to 20 mL per animal. Disinfection takes place once, one day before farrowing and once every day during 4 days after farrowing. To ensure sufficient contact time, care should be taken that the product is not removed after application (e.g. keep the animal standing for at least 5 minutes).

Only for use on intact skin.  
Do not mix with other chemicals.

#### 4.1.2 Use-specific risk mitigation measures

- For manual spraying application on cows and sows: Wear chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).
- In case a combination of post-milking disinfection of cows and skin disinfection of cows is necessary, an iodine based product shall not be used by the same person to perform both disinfections.
- Keep out of reach of children.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

#### **4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use.

### **5. General directions for use**

#### **5.1. Instructions for use**

See use-specific instructions for use.

#### **5.2. Risk mitigation measures**

See use-specific risk mitigation measures.

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

After eye contact: Rinse immediately with water.

After ingestion: Rinse mouth. Spit. Do NOT induce vomiting and immediately get medical advice.

Have product container or label at hand.

#### **5.4. Instructions for safe disposal of the product and its packaging**

At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an individual waste water treatment plant.

#### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.  
Protect from frost. Do not expose to temperatures >40°C.  
The shelf-life of the products is 2 years.

### **6. Other information**



/