

# Summary of product characteristics for a biocidal product

**Product name:** INTEROX FCC 50

**Product type(s):** PT04 - Food and feed area (Disinfectants)

PT04 - Food and feed area (Disinfectants)

**Authorisation number:** EU-0027468-0000

**R4BP 3 asset reference number:** EU-0027468-0013

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	3
2. Product composition and formulation	4
2.1. Qualitative and quantitative information on the composition of the biocidal product	4
2.2. Type of formulation	5
3. Hazard and precautionary statements	5
4. Authorised use(s)	6
5. General directions for use	10
5.1. Instructions for use	10
5.2. Risk mitigation measures	10
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	10
5.4. Instructions for safe disposal of the product and its packaging	11
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	11
6. Other information	11

## Administrative information

### 1.1. Trade names of the product

INTEROX FCC 50
----------------

### 1.2. Authorisation holder

**Name and address of the authorisation holder**

Name	SOLVAY CHEMICALS INTERNATIONAL
Address	RUE DE RANSBEEK 310 B-1120 BRUXELLES Belgium
Authorisation number	EU-0027468-0000 1-7

**R4BP 3 asset reference number**

EU-0027468-0013
-----------------

**Date of the authorisation**

08/08/2022
------------

**Expiry date of the authorisation**

31/07/2032
------------

### 1.3. Manufacturer(s) of the biocidal products

**Name of the manufacturer**

Solvay Interox Limited
------------------------

**Address of the manufacturer**

Baronet Road, Solvay House WA4 6HA Warrington United Kingdom
--

**Location of manufacturing sites**

Solvay Interox Limited, Baronet Road, Solvay House WA4 6HA Warrington United Kingdom
--

<b>Name of the manufacturer</b>	Solvay Chemicals Finland Oy
<b>Address of the manufacturer</b>	YRJONOJANTIE 2 45910 VOIKKAA Finland
<b>Location of manufacturing sites</b>	Solvay Chemicals Finland Oy, YRJONOJANTIE 2 45910 VOIKKAA Finland

<b>Name of the manufacturer</b>	Solvay Chemicals GmbH Germany
<b>Address of the manufacturer</b>	KOETHENSCHER STRASSE 1-3 06406 DE BERNBURG Germany
<b>Location of manufacturing sites</b>	Solvay Chemicals GmbH Germany, KOETHENSCHER STRASSE 1-3 06406 DE BERNBURG Germany

<b>Name of the manufacturer</b>	Solvay Chemie BV Netherlands
<b>Address of the manufacturer</b>	SCHEPERSWEG, 1 6049 CV HERTEN Netherlands
<b>Location of manufacturing sites</b>	Solvay Chemie BV Netherlands, SCHEPERSWEG, 1 6049 CV HERTEN Netherlands

<b>Name of the manufacturer</b>	Solvay Chimica Italia SpA Italy
<b>Address of the manufacturer</b>	VIA PIAVE, 6 Rosignano SOLVAY LI 57013 Rosignano Italy
<b>Location of manufacturing sites</b>	Solvay Chimica Italia SpA Italy, VIA PIAVE, 6 Rosignano SOLVAY LI 57013 Rosignano Italy

<b>Name of the manufacturer</b>	Solvay Chimie SA Belgium
<b>Address of the manufacturer</b>	Rue de Ransbeek 310 1120 BE Brussels Belgium
<b>Location of manufacturing sites</b>	Solvay Chimie SA Belgium, RUE SOLVAY, 39 5190 BE JEMEPPE-SUR-SAMBRE Belgium
	Solvay Chimie SA Belgium, SCHELDELAAN 600 – HAVEN 725 2040 BE Antwerp Belgium

<b>Name of the manufacturer</b>	Solvay Interox Produtos Peroxidados SA
<b>Address of the manufacturer</b>	RUA ENG. CLEMENT DUMOULIN 2625-106 POVOA DE SANTA IRIA Portugal
<b>Location of manufacturing sites</b>	Solvay Interox Produtos Peroxidados SA, RUA ENG. CLEMENT DUMOULIN 2625-106 POVOA DE SANTA IRIA Portugal

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Interox Limited
<b>Address of the manufacturer</b>	Baronet Road, Solvay House WA4 6HA Warrington United Kingdom
<b>Location of manufacturing sites</b>	Solvay Interox Limited, Baronet Road, Solvay House WA4 6HA Warrington United Kingdom

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chemicals Finland Oy
<b>Address of the manufacturer</b>	YRJONOJANTIE 2 45910 VOIKKAA Finland
<b>Location of manufacturing sites</b>	Solvay Chemicals Finland Oy, YRJONOJANTIE 2 45910 VOIKKAA Finland

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chemicals GmbH Germany
<b>Address of the manufacturer</b>	KOETHENSCHER STRASSE 1-3 06406 BERNBURG Germany
<b>Location of manufacturing sites</b>	Solvay Chemicals GmbH Germany, KOETHENSCHER STRASSE 1-3 06406 BERNBURG Germany

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chimica Italia SpA Italy
<b>Address of the manufacturer</b>	VIA PIAVE, 6 ROSIGNANO SOLVAY LI 57013 ROSIGNANO Italy
<b>Location of manufacturing sites</b>	Solvay Chimica Italia SpA Italy, VIA PIAVE, 6 ROSIGNANO SOLVAY LI 57013 ROSIGNANO Italy

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Chimie SA Belgium
<b>Address of the manufacturer</b>	Rue de Ransbeek 310 1120 Brussels Belgium
<b>Location of manufacturing sites</b>	Solvay Chimie SA Belgium, RUE SOLVAY 39 5190 BE JEMEPPE-SUR-SAMBRE Belgium
	Solvay Chimie SA Belgium, SCHELDELAAN 600 – HAVEN 725 2040 BE Antwerp Belgium

<b>Active substance</b>	1315 - Hydrogen peroxide
<b>Name of the manufacturer</b>	Solvay Interox Produtos Peroxidados SA
<b>Address of the manufacturer</b>	RUA ENG. CLEMENT DUMOULIN 2625-106 POVOA DE SANTA IRIA Portugal
<b>Location of manufacturing sites</b>	Solvay Interox Produtos Peroxidados SA, RUA ENG. CLEMENT DUMOULIN 2625-106 POVOA DE SANTA IRIA Portugal

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		Active Substance	7722-84-1	231-765-0	49,9

## 2.2. Type of formulation

SL - Soluble concentrate

## 3. Hazard and precautionary statements

### Hazard statements

May intensify fire; oxidiser  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.  
Harmful to aquatic life with long lasting effects.

### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep away from clothing and other combustible materials.  
Do not breathe vapours.  
Wash hands thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Avoid release to the environment.  
Wear protective gloves.  
Wear protective clothing.  
Wear eye protection.  
Wear face protection.  
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor.  
Wash contaminated clothing before reuse.  
In case of fire: Use water to extinguish.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Dispose of contents to ...in accordance with all local, regional, national and international regulations..

Dispose of container to in accordance with local/regional/national/international regulation.

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Disinfection of distribution and storage systems for drinking water

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Not relevant
<b>Target organism(s) (including development stage)</b>	Scientific name: Common name: Bacteria Development stage:  Scientific name: Common name: Fungi/yeasts Development stage:  Scientific name: Common name: Viruses Development stage:  Scientific name: Common name: Bacterial Spores Development stage:
<b>Field(s) of use</b>	Indoor  Industrial use - drinking water systems for human and animals drinking water. Disinfection of non-porous surfaces.
<b>Application method(s)</b>	Method: - Detailed description: Flooding of pipes Automated spraying (CIP)
<b>Application rate(s) and frequencies</b>	Application Rate: Use concentration 13% w/w hydrogen peroxide. Dilution (%): Number and timing of application:  Apply at room temperature.  Frequency: once per week. Use following installation, maintenance or cleaning.
<b>Category(ies) of users</b>	Professional



## Pack sizes and packaging material

HDPE packaging: 0.25, 1, 2.5, 5, 10, 20, 22, 30, 60, 200, 220 and 1000 L (IBC).  
Approved grades of HDPE.

### 4.1.1 Use-specific instructions for use

Use an automated loading system.  
Dilute the product to reach the needed hydrogen peroxide concentration stated below.  
Effective hydrogen peroxide (w/w) concentration and contact time:  
Bactericidal – 13%, 10 min  
Yeasticidal and fungicidal – 13%, 15 min  
Sporicidal – 13 %, 60 min  
Virucidal – 13%, 30 min  
All claimed microbes - 13%, 60 min

Each product label should give information on how the dilution should be made, e.g. to reach 13% (w/w) hydrogen peroxide concentration:  
A product with 50% hydrogen peroxide concentration: The product should be diluted to 28% w/v (280 g or 230 mL of product, add water up to 1L).

Apply diluted product at room temperature on pre-cleaned surfaces. Add as aqueous solution to pipes as needed for flooding. Spray application to tanks until run-off. Surface need to be wet with disinfectant for the allocated contact time.

### 4.1.2 Use-specific risk mitigation measures

CIP and automated spraying:  
The processes must be fully automated and enclosed with no exposure in the case of tanks or piping systems.  
The use is limited to distribution and storage systems with volume ≤ 15 000 L. Rinse well with potable water.

### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use.

### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use.

### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use.

## 4.2 Use description

### Use 2 - Surface disinfection in food and feed processing by liquid application

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Disinfection of equipment, containers, consumption utensils, surfaces or pipework associated with the production, transport, storage or consumption of food or feed for humans and animals.
<b>Target organism(s) (including development stage)</b>	Scientific name: Common name: Bacteria Development stage:  Scientific name: Common name: Fungi/yeasts Development stage:  Scientific name: Common name: Viruses Development stage:  Scientific name: Common name: Bacterial Spores Development stage:
<b>Field(s) of use</b>	Indoor  Industrial use - food & feed area. Disinfection of non-porous surfaces.
<b>Application method(s)</b>	Method: - Detailed description:  Automated spraying on surfaces Cleaning-in-Place (CIP) Immersion of equipment and utensils
<b>Application rate(s) and frequencies</b>	Application Rate: Use concentration 13% w/w hydrogen peroxide. Dilution (%): Number and timing of application: <ul style="list-style-type: none"><li>• CIP (cleaning-in-place): volume of diluted product needed to fill the system to be disinfected</li><li>• Automated spraying: 50 – 100 mL diluted product/m<sup>2</sup></li><li>• Immersion: make solution and dip items</li></ul> As required by user - up to 1 or 2 times per day, often once per week. Apply at room temperature.
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	HDPE packaging: 0.25, 1, 2.5, 5, 10, 20, 22, 30, 60, 200, 220 and 1000 L (IBC). Approved grades of HDPE.

#### 4.2.1 Use-specific instructions for use

Disinfection of pre-cleaned, non-porous surfaces such as tables, floors, walls, machinery, equipment and utensils in food & feed areas in production, transport, storage or preparation and handling. CIP (cleaning in place) disinfection (terminal disinfection after cleaning) – pipes, tanks, mixer, other machine which comes into contact with food. Soaking of pre-cleaned items – dishes, cutlery, equipment, small machinery, machine items, crates, boxes.  
Use an automated loading system for CIP and automated spraying.  
Dilute the product to reach the needed hydrogen peroxide concentration stated below.

Effective hydrogen peroxide (w/w) concentration and contact time:

Bactericidal, yeasticidal, fungicidal – 13%, 15 min

Sporicidal – 13%, 60 min

Virucidal – 13%, 30 min

All claimed microbes - 13%, 60 min

Each product label should give information on how the dilution should be made, e.g. to reach 13% (w/w) hydrogen peroxide concentration:

A product with 50% hydrogen peroxide concentration: The product should be diluted to 28% w/v (280 g or 230 mL of product, add water up to 1L).

Apply at room temperature.

Precleaning of surfaces required before using disinfectants.

Dosing

- Automated spraying 50 – 100 mL/m<sup>2</sup>

Surface need to be wet with disinfectant for the allocated contact time.

Rinse well with potable water and allow to drain or dry with hot air.

#### 4.2.2 Use-specific risk mitigation measures

CIP:

The processes must be fully automated and enclosed with no exposure in the case of tanks or piping systems.

Automated spraying:

In the case of automated spraying of surfaces such as conveyors or other fixed installations workers must leave the room before processing.

Disinfection can only be processed after the end of a shift with all workers having left the room. The process must be started from outside the room. Warning notices indicating that entry is denied and temporary barriers must be placed on all entries.

Air concentrations must be monitored to ensure that no leakage occurs during operations and levels are safe before entering the area. For re-entry, the undercut of AECinhalation of 1.25 mg/m<sup>3</sup> shall be ensured with technical and organisational measures (e.g. sensor, defined ventilation period).

Immersion:

The use of eye protection during handling of the product is mandatory.

Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).

A protective overall (at least type 6, EN 13034) shall be worn in loading.

For stationary processes, a local exhaust ventilation (LEV) with a capture efficiency of at least 85% shall be specified.

If no LEV, use respiratory protective equipment (RPE) providing a protection factor of 20 in loading and 5 for immersion.

After use, immersion baths must be emptied or covered to prevent further evaporation.

The waste water from breweries should not be discharged direct to surface water after simple on-site treatment. The waste water from breweries should be discharged to the sewer connected to the sewage treatment plant (STP).

#### **4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See general directions for use.

#### **4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See general directions for use.

#### **4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See general directions for use.

### **5. General directions for use**

#### **5.1. Instructions for use**

-

#### **5.2. Risk mitigation measures**

The use of eye protection during handling of the product is mandatory.  
Wear face shield where splashing is possible.  
Ensure adequate ventilation during the application.

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Particulars of likely direct or indirect adverse effects:

- In case of inhalation: Breathing difficulties, cough, pulmonary oedema, nausea, vomiting.
- In case of skin contact: Redness, swelling of tissue, skin irritation.
- In case of eye contact: Redness, lachrymation, swelling of tissue, severe burns.
- In case of ingestion: Nausea, abdominal pain, bloody vomiting, diarrhoea, suffocation, cough, severe shortness of breath, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach. Risk of respiratory disorder.

First aid instructions:

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Emergency measures to protect environment in case of accident:

- Environmental precautions:  
Should not be released into the environment. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up:  
Dilute with plenty of water. Dam up. Do not mix waste streams during collection. Soak up with inert absorbent material. Keep in properly labelled containers. Keep in suitable, closed containers for disposal. Never return spills in original containers for re-use.

#### 5.4. Instructions for safe disposal of the product and its packaging

Do not allow undiluted product to enter the sewer. Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains. Only pass on empty containers/packaging for recycling. Disposal of packaging should at all times comply with the waste disposal legislation and any regional local authority requirements.

#### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Storage: Hydrogen peroxide should be stored in properly designed bulk storage tanks or in original vented container in upright position away from incompatible products. Use only approved materials of construction for equipment or approved packs. Store in a cool, ventilated area and protect from damage and direct sunlight. Do not store at temperatures above 40°C. Keep away from combustible materials and sources of ignition and heat.  
Shelf-life: 12 months in HDPE packs at ambient temperature.

#### 6. Other information

Please be aware of the European reference value of 1.25 mg/m<sup>3</sup> for the active substance hydrogen peroxide (CAS No.: 7722-84-1) which was used for the risk assessment for this product.