

# Summary of product characteristics for a biocidal product

**Product name:** FREE LAND DUST

**Product type(s):** PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

**Authorisation number:** 2023-09-12-B01

**R4BP 3 asset reference number:** MT-0030250-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	15
5.1. Instructions for use	15
5.2. Risk mitigation measures	15
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	15
5.4. Instructions for safe disposal of the product and its packaging	15
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	15
6. Other information	16

## Administrative information

### 1.1. Trade names of the product

FREE LAND DUST
----------------

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	Activa s.r.l.
	Address	via Feltre, 32 20132 Milano Italy
<b>Authorisation number</b>	2023-09-12-B01	
<b>R4BP 3 asset reference number</b>	MT-0030250-0000	
<b>Date of the authorisation</b>	12/09/2023	
<b>Expiry date of the authorisation</b>	18/01/2033	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	ACTIVA srl
<b>Address of the manufacturer</b>	via Feltre 32 20132 Milano Italy
<b>Location of manufacturing sites</b>	c/o SINAPAK Viale Dell' Industria E Artigianato 7 27049 Stradella (PV) Italy
	c/o FERBI S.r.l Contrada Ripoli 64023 Mosciano Sant'Angelo (TE) Italy

### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1283 - (RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
<b>Name of the manufacturer</b>	Tagros Chemicals India Ltd.
<b>Address of the manufacturer</b>	Jhaver Centre, Rajah Annamalai Building, IV Floor, 72, Marshalls Road 600 008 Egmore, Chennai India
<b>Location of manufacturing sites</b>	A-4/1&2, Sipcot Industrial Complex, Pachayankuppam, Cuddalore 607 005 Tamil Nadu India

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,25

### 2.2. Type of formulation

DP - Dustable powder
----------------------

## 3. Hazard and precautionary statements

<b>Hazard statements</b>	Very toxic to aquatic life with long lasting effects.
<b>Precautionary statements</b>	Avoid release to the environment. Collect spillage. Dispose of contents to national regulation. Dispose of container to national regulation.

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Spot application in crack and crevice, professional – Crawling insects

<b>Product type</b>	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	Dustable powder insecticide for use against crawling insects by crack and crevice treatment indoors.
<b>Target organism(s) (including development stage)</b>	Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: Adults  Scientific name: <i>Blatta orientalis</i> Common name: Oriental cockroach Development stage: Adults  Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: Adults  Scientific name: <i>Lasius niger</i> Common name: Garden ant Development stage: Adults  Scientific name: crawling insects Common name: Crawling insects Development stage: Adults
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Manual application Detailed description: Dusting
<b>Application rate(s) and frequencies</b>	Application Rate: The application rate is 0.02 g a.i./m <sup>2</sup> . Dilution (%): Ready to use Number and timing of application: Application can be performed up to 2 times per year
<b>Category(ies) of users</b>	Trained professional  Professional
<b>Pack sizes and packaging material</b>	1kg HDPE Bottle, 5 kg HDPE Bucket

#### 4.1.1 Use-specific instructions for use

The application (dusting) have to be performed using the specific container equipped with the appropriate spreader or professional equipment for dusting application.

Application must be done at recommended rate. The product should be applied so that children and pets do not come in contact with the product.

#### 4.1.2 Use-specific risk mitigation measures

See General directions for use.

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General directions for use

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See General directions for use

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General directions for use

#### 4.2 Use description

##### Use 2 - Spot application in voids and cavities, professional – Crawling insects

##### Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

##### Where relevant, an exact description of the authorised use

Dustable powder insecticide for use against crawling insects by voids and cavities application indoors

##### Target organism(s) (including development stage)

Scientific name: *Blattella germanica*  
Common name: German cockroach  
Development stage: Adults

Scientific name: *Blatta orientalis*  
Common name: Oriental cockroach  
Development stage: Adults

	<p>Scientific name: Periplaneta americana Common name: American Cockroach Development stage: Adults</p> <p>Scientific name: Lasius niger Common name: Garden ant Development stage: Adults</p> <p>Scientific name: crawling insects Common name: Crawling insects Development stage: Adults</p>
<b>Field(s) of use</b>	Indoor
<b>Application method(s)</b>	Method: Manual application Detailed description: Dusting
<b>Application rate(s) and frequencies</b>	Application Rate: The application rate is 0.02 g a.i./m <sup>2</sup> . Dilution (%): Ready to use Number and timing of application: Treatment can be performed up to 11 times per year
<b>Category(ies) of users</b>	Trained professional  Professional
<b>Pack sizes and packaging material</b>	1kg HDPE Bottle, 5 kg HDPE Bucket

#### 4.2.1 Use-specific instructions for use

The application (dusting) have to be performed using the specific container equipped with the appropriate spreader or professional equipment for dusting application.  
Application must be done at recommended rate.

#### 4.2.2 Use-specific risk mitigation measures

See General directions for use.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General directions for use

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See General directions for use

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General directions for use

### 4.3 Use description

#### Use 3 - Wasp nest, professional

<b>Product type</b>	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	Direct application on wasp nest for eradication
<b>Target organism(s) (including development stage)</b>	Scientific name: <i>Vespula germanica</i> Common name: German wasp Development stage: Adults  Scientific name: <i>Polistes gallicus</i> Common name: Paper wasp Development stage: Adults
<b>Field(s) of use</b>	Indoor  Outdoor  Nest
<b>Application method(s)</b>	Method: Manual application Detailed description: Dusting
<b>Application rate(s) and frequencies</b>	Application Rate: The application rate is 10 g/nest. Apply on the nest. Dilution (%): Ready to use Number and timing of application: Treatment indoor can be performed up to 2 times per year.
<b>Category(ies) of users</b>	Trained professional  Professional
<b>Pack sizes and packaging material</b>	1kg HDPE Bottle, 5 kg HDPE Bucket





#### 4.3.1 Use-specific instructions for use

The application (dusting) have to be performed using an appropriate spreader (also long range spreader). Application must be done at recommended rate on the nest, in the case of *V.germanica* partially at the nest entrance and partially immediately around the nest, in the case of hanged nest like the ones of *Polistes gallicus* application should be done at full rate on the nest itself. Apply preferably at dusk and dawn.

#### 4.3.2 Use-specific risk mitigation measures

Spread gently the dust powder to direct the full quantity on the nest visible surface. Do not apply outdoor when raining.

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General directions for use

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See General directions for use

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General directions for use

### 4.4 Use description

#### Use 4 - Spot application in crack and crevice, non professional – Crawling insects

**Product type**

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

**Where relevant, an exact description of the authorised use**

Dustable powder insecticide for use against crawling insects by crack and crevice treatment indoors.

**Target organism(s) (including development stage)**

Scientific name: *Blattella germanica*  
Common name: German cockroach  
Development stage: Adults

Scientific name: *Blatta orientalis*  
Common name: Oriental cockroach  
Development stage: Adults

Scientific name: *Periplaneta americana*  
Common name: American Cockroach  
Development stage: Adults

Scientific name: *Lasius niger*  
Common name: Garden ant  
Development stage: Adults

Scientific name: crawling insects  
Common name: Crawling insects  
Development stage: Adults

**Field(s) of use**

Indoor

**Application method(s)**

Method: Manual application  
Detailed description:  
Dusting

**Application rate(s) and frequencies**

Application Rate: The application rate is 0.02 g a.i./m<sup>2</sup>.  
Dilution (%): Ready to use  
Number and timing of application:  
Application can be performed up to 2 times per year

**Category(ies) of users**

General public (non-professional)

**Pack sizes and packaging material**

100g, 250g, 500g, 1 kg HDPE Dust spreader  
100g, 250g, 500g, 1 kg HDPE Dust spreader with stout cap

**4.4.1 Use-specific instructions for use**

The application (dusting) have to be performed using the specific container equipped with the appropriate spreader. Application must be done at recommended rate.

**4.4.2 Use-specific risk mitigation measures**

See General directions for use.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General directions for use

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See General directions for use

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General directions for use

### 4.5 Use description

#### Use 5 - Spot application in voids and cavities, non professional – Crawling insects

##### Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

##### Where relevant, an exact description of the authorised use

Dustable powder insecticide for use against crawling insects by voids and cavities application indoors

##### Target organism(s) (including development stage)

Scientific name: *Blattella germanica*  
Common name: German cockroach  
Development stage: Adults

Scientific name: *Blatta orientalis*  
Common name: Oriental cockroach  
Development stage: Adults

Scientific name: *Periplaneta americana*  
Common name: American Cockroach  
Development stage: Adults

Scientific name: *Lasius niger*  
Common name: Garden ant  
Development stage: Adults

Scientific name: crawling insects  
Common name: Crawling insects  
Development stage: Adults

##### Field(s) of use

Indoor

##### Application method(s)

Method: Manual application  
Detailed description:  
Dusting

<b>Application rate(s) and frequencies</b>	Application Rate: The application rate is 0.02 g a.i./m <sup>2</sup> . Dilution (%): Ready to use Number and timing of application: Treatment can be performed up to 11 times per year
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	100g, 250g, 500g, 1 kg HDPE Dust spreader  100g, 250g, 500g, 1 kg HDPE Dust spreader with stout cap

#### 4.5.1 Use-specific instructions for use

The application (dusting) have to be performed using the specific container equipped with the appropriate spreader. Application must be done at recommended rate.

#### 4.5.2 Use-specific risk mitigation measures

See General directions for use.

#### 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General directions for use

#### 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See General directions for use

#### 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General directions for use

## 4.6 Use description

### Use 6 - Wasp nest – non professional

<b>Product type</b>	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	Direct application on wasp nest for eradication
<b>Target organism(s) (including development stage)</b>	Scientific name: <i>Vespula germanica</i> Common name: German wasp Development stage: Adults  Scientific name: <i>Polistes gallicus</i> Common name: Paper wasp Development stage: Adults
<b>Field(s) of use</b>	Indoor  Outdoor  Nest
<b>Application method(s)</b>	Method: Manual application Detailed description: Dusting
<b>Application rate(s) and frequencies</b>	Application Rate: The application rate is 10 g/nest. Apply on the nest. Dilution (%): Ready to use Number and timing of application: Treatment indoor can be performed up to 2 times per year.
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	100g, 250g, 500g, 1 kg HDPE Dust spreader 100g, 250g, 500g, 1 kg HDPE Dust spreader with stout cap

#### 4.6.1 Use-specific instructions for use

The application (dusting) have to be performed using an appropriate spreader (also long range spreader). Application must be done at recommended rate on the nest, in the case of *V. germanica* partially at the nest entrance and partially immediately around the nest, in the case of hanged nest like the ones of *Polistes gallicus* application should be done at full rate on the nest itself. Apply preferably at dusk and dawn.

#### 4.6.2 Use-specific risk mitigation measures

See General directions for use

#### 4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General directions for use

#### 4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See General directions for use

#### 4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General directions for use

#### 4.7 Use description

##### Use 7 - Ant nest treatment – general public

<b>Product type</b>	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	Direct application on ant nest for eradication.
<b>Target organism(s) (including development stage)</b>	Scientific name: Lasius niger Common name: Garden ant Development stage: Adults
<b>Field(s) of use</b>	Outdoor  Nest
<b>Application method(s)</b>	Method: Manual application Detailed description: Dusting
<b>Application rate(s) and frequencies</b>	Application Rate: The application rate is 5 g/nest to be applied at the entrance of the nest and around it. Dilution (%): Ready to use Number and timing of application: when needed

**Category(ies) of users**

General public (non-professional)

**Pack sizes and packaging material**

100g, 250g, 500g, 1 kg HDPE Dust spreader

100g, 250g, 500g, 1 kg HDPE Dust spreader with stout cap

**4.7.1 Use-specific instructions for use**

The application (dusting) have to be performed using the specific container equipped with the appropriate spreader. Application must be done at recommended rate partially at the nest entrance and partially on the walkways immediately around the nest. To optimise the treatment efficacy, do not apply in case of rain or wind.

**4.7.2 Use-specific risk mitigation measures**

See General directions for use.

**4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See General directions for use

**4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See General directions for use

**4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See General directions for use

**4.8 Use description**

**Use 8 - Around building barrier treatment against *Blatta orientalis*. General public**

<b>Product type</b>	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	Targeted spot applications around building
<b>Target organism(s) (including development stage)</b>	Scientific name: Blatta orientalis Common name: Oriental cockroach Development stage: Adults
<b>Field(s) of use</b>	Outdoor  Outdoor - around building
<b>Application method(s)</b>	Method: Manual application Detailed description: Dusting
<b>Application rate(s) and frequencies</b>	Application Rate: The application rate is 0.02 g a.i./m <sup>2</sup> . Dilution (%): Ready to use Number and timing of application: Application can be performed up to 2 times per year
<b>Category(ies) of users</b>	General public (non-professional)
<b>Pack sizes and packaging material</b>	100g, 250g, 500g, 1 kg HDPE Dust spreader 100g, 250g, 500g, 1 kg HDPE Dust spreader with stout cap

#### 4.8.1 Use-specific instructions for use

The application (dusting) have to be performed using the specific container equipped with the appropriate spreader. Application must be done at recommended rate in thin layers of 2 cm width.

#### 4.8.2 Use-specific risk mitigation measures

Apply only in areas that are not liable to submersion or becoming wet, i.e. protected from rain, floods and cleaning water.

#### 4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General directions for use



#### **4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See General directions for use

#### **4.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See General directions for use

### **5. General directions for use**

#### **5.1. Instructions for use**

See use specific directions for use

#### **5.2. Risk mitigation measures**

Always read the label or leaflet before use and respect all the instructions provided.  
For applications indoor to control crawling insects:  
Apply only in areas that are not liable to submersion or becoming wet. Avoid contact with treated surfaces. Do not apply in presence of food/feedstuff. Remove any tool that may enter in contact with food/feedstuff during treatment. Do not contaminate ponds/lakes, water pipes or ditches with the product or with empty container. The product should be applied so that children and pets do not come in contact with the product.

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

In case of accident or if you feel unwell refer to product MSDS (for professional users) or seek for medical attention/Poison centre (for general public). Do not release the product or its empty containers in the environment.

#### **5.4. Instructions for safe disposal of the product and its packaging**

Dispose of contents/container in accordance with local waste management regulations. Do not empty into drains. Do not reuse packaging.

#### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

Keep out of reach of children. Store away from food, drinks or feeding stuff.  
Shelf-life: 2 years, in original container at room temperatures. Avoid extreme temperatures and exposure to direct sunlight.

## 6. Other information

--