ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

Low Propi Product-IE-en

Product type(s)

PT08: Wood preservatives

Authorisation number: IE/BPA 70493 1-5

R4BP asset number: IE-0020596-0005

1. A	NIMDA	ISTRATIVE INFORMATION	3
	1.1.	Trade name(s) of the product	. 3
	1.2.	Authorisation holder	
	1.3.	Manufacturer(s) of the product	
	1.4.	Manufacturer(s) of the active substance(s)	3
2. P	RODU	CT COMPOSITION AND FORMULATION	5
	2.1.	Qualitative and quantitative information on the composition of the	
	produ	ıct	
	2.2.	Type(s) of formulation	
3. F	IAZAR	D AND PRECAUTIONARY STATEMENTS	6
4. <i>A</i>	AUTHC	ORISED USE(S)	7
	4.1.	Use description	. 7
	4.2.	Use description	. 8
	4.3.	Use description	
5. C	SENER	AL DIRECTIONS FOR USE	12
	5.1.	Instructions for use	12
	5.2.	Risk mitigation measures	12
	5.3.	Particulars of likely direct or indirect effects, first aid instructions and	
	emerg	gency measures to protect the environment	12
	5.4.	Instructions for safe disposal of the product and its packaging	12
	5.5.	Conditions of storage and shelf-life of the product under normal	
		tions of storage	
6. C	THER	INFORMATION	14

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	-
---------------	---

1.2. Authorisation holder

	Name	WoodchemEQ Ltd
Name and address of the authorisation holder	Address	Unit 3D North Point House, North Point Business Park New Mallow Road T23 AT2P Cork Ireland
Authorisation number		IE/BPA 70493 1-5
R4BP asset number		IE-0020596-0005
Date of the authorisation		25/03/2019
Expiry date of the authorisation		30/06/2026

1.3. Manufacturer(s) of the product

Name of manufacturer	Enviroquest GPT Limited
	Unit E8/E9 DE21 6XE Derby United Kingdom of Great Britain and Northern Ireland (the)
	Unit E8/E9 DE21 6XE Derby United Kingdom of Great Britain and Northern Ireland (the)

1.4. Manufacturer(s) of the active substance(s)

Active substance	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of manufacturer	Janssen PMP
Address of manufacturer	Turnhoutseweg 30 2340 Beerse Belgium
Location of manufacturing sites	Jiangsu Sevencontinent Green Chemical Co. Ltd. North Area of Dongsha Chem-Zone. 215600 Zhangjiagang China

Active substance	3-iodo-2-propynylbutylcarbamate (IPBC)
Name of manufacturer	Troy Chemical Company
Address of manufacturer	Uiverlaan 12e P.O. Box 132 AC Maassluis Netherlands (the)
Location of manufacturing sites	8 Vreeland Road P.O. Box 955, Florham Park 07932 New Jersey New Jersey United States (the)

Active substance	Permethrin
Name of manufacturer	Caldic Denmark A/S (Acting for Tagros Chemicals India Ltd.)
Address of manufacturer	Caldic Denmark A/S: Odinsvej 23, 8722 Hedensted Denmark

Location of manufacturing sites	Tagros Chemicals India Limited A4 / 1 & 2 SIPCOT
	INDUSTRIAL COMPLEX, PACHAYANKUPPAM
	607 005 CUDDALORE Tamil Nadu India

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
1-[[2-(2,4-dichlorophenyl)-4 propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2 triazole (Propiconazole)		active substance	60207-90-1	262-104-4	0,269
3-iodo-2- propynylbutylcarb (IPBC)	amate	active substance	55406-53-6	259-627-5	0,253
Permethrin		active substance	52645-53-1	258-067-9	0,266
Neodol 91.5	Alcohols, C9-C11, ethoxylated	Non-active substance	68439-46-3	614-482-0	2

2.2. Type(s) of formulation

ME Micro-emulsion

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H319: Causes serious eye irritation.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
Precautionary statements	P101: If medical advice is needed, have product container or label at hand.
	P102: Keep out of reach of children.
	P103: Read carefully and follow all instructions.
	P264: Wash hands and exposed skin thoroughly after handling.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313: If eye irritation persists: Get medical attention.
	P391: Collect spillage.
	P501: Dispose of contents to to a licensed hazardouswaste disposal contractor or collection site.
	P501: Dispose of container to to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste
	P273: Avoid release to the environment.

4. AUTHORISED USE(S)

4.1. Use description

 $Table \ 1. \ \ Non-professional \ use \ \text{-} \ use \ class \ 1$

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Wood preservative for application to soft and hardwood
Target organism(s) (including development	Scientific name: Hylotrupes bajulus L.
stage)	Common name: wood boring beetles Development stage: larvae
	Development stage. Inivae
	Scientific name: Anobium punctatum De Geer
	Common name: wood boring beetles Development stage: no data
	Development stage. no data
	Scientific name: Lyctus brunneus
	Common name: wood boring beetles
	Development stage: no data
	Scientific name: Reticulitermes sp.
	Common name: termites
	Development stage: All
Field(s) of use	indoor use
	Use class 1
Application method(s)	Method: open system: brush treatment
	Detailed description: The product will be applied by a brush or low pressure spray application.
Application rate(s) and frequency	Application Rate: 100-300 ml/m2
	Dilution (%): 0
	Number and timing of application:
	For curative treatment against wood boring beetles (Hylotrupes
	bajulus, Anobium punctatum, Lyctus brunneus):
	Apply at a rate of 300 ml/m2 For a preventative treatment against wood boring beetles
	(Hylotrupes bajulus):
	Apply at a rate of 100-200 ml/m2
	For a preventative treatment against wood boring beetles
	(Anobium punctatum):
	Apply at a rate of 200 ml/m2 For a preventative treatment against termites (Reticulitermes
	spp.):
	Apply at a rate of 200 ml/m2
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	1-5 litre HDPE container with squeeze lock cap 1-5 litre steel container with berg plastic closure

4.1.1. Use-specific instructions for use

See 5.1

4.1.2. Use-specific risk mitigation measures

See 5.2

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

4.2. Use description

Table 2. Non-professional use - use class 2

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Wood preservative for application to soft and hardwood
Target organism(s) (including development stage)	Scientific name: Hylotrupes bajulus L. Common name: wood boring beetles Development stage: larvae
	Scientific name: Anobium punctatum De Geer Common name: wood boring beetles Development stage: no data
	Scientific name: Lyctus brunneus Common name: wood boring beetles Development stage: no data
	Scientific name: Reticulitermes sp. Common name: termites Development stage: All
	Scientific name: Basidiomycetes: Basidiomycetes: Common name: Wood rotting fungi Development stage: Brown rot and white rot
Field(s) of use	outdoor use
	Use class 2
Application method(s)	Method: open system: brush treatment
	Detailed description: The product will be applied by a brush or low pressure spray application.
Application rate(s) and frequency	Application Rate: 152.8-300 ml/m2
	Dilution (%): 0
	Number and timing of application: For curative treatment against wood boring beetles (Hylotrupes bajulus, Anobium punctatum, Lyctus brunneus): Apply at a rate of 300 ml/m2

	For a preventative treatment against wood boring beetles
	(Hylotrupes bajulus):
	Apply at a rate of 100-200 ml/m2
	For a preventative treatment against wood boring beetles
	(Anobium punctatum):
	Apply at a rate of 200 ml/m2
	For a preventative treatment against termites (Reticulitermes
	spp.):
	Apply at a rate of 200 ml/m2
	For a preventative treatment against wood rotting fungi
	(Basidiomycetes):
	Apply at a rate of $152.8 - 200 \text{ ml/m2}$
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	1-5 litre HDPE container with squeeze lock cap
	1-5 litre steel container with berg plastic closure

4.2.1. Use-specific instructions for use

See 5.1

4.2.2. Use-specific risk mitigation measures

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product must be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

Treatment of timber must not take place over/near surface water bodies.

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See 5.3

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

4.3. Use description

Table 3. Non-professional use - use class 3

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Wood preservative for application to soft and hardwood
Target organism(s) (including development stage)	Scientific name: Hylotrupes bajulus L. Common name: wood boring beetles Development stage: larvae Scientific name: Anobium punctatum De Geer Common name: wood boring beetles Development stage: no data Scientific name: Lyctus brunneus Common name: wood boring beetles Development stage: no data

	Scientific name: Reticulitermes sp. Common name: termites
	Development stage: All
	Scientific name: Basidiomycetes: Basidiomycetes: Common name: wood rotting fungi Development stage: Brown rot and white rot
Field(s) of use	outdoor use
	Use class 3
Application method(s)	Method: open system: brush treatment
	Detailed description: The product will be applied by a brush
Application rate(s) and frequency	Application Rate: 152.8-300 ml/m2
	Dilution (%): 0
	Number and timing of application: For curative treatment against wood boring beetles (Hylotrupes bajulus, Anobium punctatum, Lyctus brunneus): Apply at a rate of 300 ml/m2
	For a preventative treatment against wood boring beetles (Hylotrupes bajulus): Apply at a rate of 100-200 ml/m2
	For a preventative treatment against termites (Reticulitermes spp.): Apply at a rate of 200 ml/m2
	For a preventative treatment against wood rotting fungi (Basidiomycetes): Apply at a rate of 152.8 – 200 ml/m2
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	1-5 litre HDPE container with squeeze lock cap 1-5 litre steel container with berg plastic closure

4.3.1. Use-specific instructions for use

See 5.1

4.3.2. Use-specific risk mitigation measures

For application by brush only, at a maximum active substance application rate of 2.25 g/m^2 propiconazole, 0.75 g/m^2 IPBC and 0.75 g/m^2 permethrin and only where a treatment system that includes an undercoat and non biocidal topcoat is employed.

Treatment of timber must not take place over/near surface water bodies

During in-situ application to timbers and whilst surfaces are drying, do not contaminate soil. All losses of the product have to be contained (e.g. by appropriate covering of soil with a tarpaulin) and disposed of in a safe way.

4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment See 5.3

4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See 5.4

4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See 5.5

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Do not touch or walk through spilt material.

When dealing with spillage to not eat, drink or smoke.

Avoid breathing vapour or mist. Provide adequate ventilation.

Unprotected persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions.

Any product on skin should be washed off. Persons and animals should be excluded from the area being treated and should remain excluded until surfaces are dry, which may vary depending on climatic conditions. Treated surfaces should not be touched until dry.

Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer

Always read the label or leaflet before use and follow all the instructions provided.

Inform the registration holder if the treatment is ineffective.

5.2. Risk mitigation measures

Avoid contact with eyes

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals.

Do not contaminate foodstuffs, eating utensils or food contact surfaces.

Avoid prolonged contact of pets, particularly cats, to treated surfaces.

May cause harm to bats.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Pyrethroids and pyrethrins may cause paraesthesia (burning and prickling of the skin without irritation). If symptoms persist get medical advice.

This product contains Permethrin; Pyrethroids can cause facial paraesthesia

Poisoning may cause: Irritation or/and allergic skin reaction, irritation of eyes, mucosa, respiratory tract and gastrointestinal tract.

Basic First aid procedures:

IF ON SKIN: wash with soap and plenty of water, without rubbing.

IF IN EYES: remove contact lenses, rinse with plenty of water for at least 15 minutes.

IF SWALLOWED:, do NOT induce vomiting.

If necessary attend hospital and show the label or packaging if possible. Do not leave poisoned person unattended

Medical professionals should contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166) for further advice.

Collect spillage if safe to do so.

Treatment advice for doctors and medical personnel:

Symptomatic and support treatment.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166).

Contain and collect spillage with a suitable absorbent and put into a securely sealed, leak-proof container. Label container for disposal as hazardous waste.

Avoid accidental discharge into sewers, surface water or soil.

Soil contaminated by the product should be treated as hazardous waste.

In case of an accidental discharge of the product to surface water, groundwater or sewer, inform the appropriate authorities according to local regulations

5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product and other waste generated during treatment are considered hazardous waste. Dispose of in accordance with local regulations. Do not release to soil, ground, surface water or sewers

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in a cool, well ventilated area
Keep container tightly closed
The floor of the storage room must be impermeable to prevent the escape of liquid
Must only be kept in original packaging
Shelf life 2 years

6. OTHER INFORMATION

Do not use on wood which may come into direct contact with food, feeding stuffs and livestock animals. Treated wood should not be intended for uses involving contact with food, feed or livestock.