

## Justification for the selection of a substance for CoRAP inclusion

<b>Substance Name (Public Name):</b>	WÄSSERIGE LOESUNG DES MV31-KALIUMSALZ
<b>Chemical Group:</b>	
<b>EC Number:</b>	444-340-1
<b>CAS Number:</b>	-
<b>Submitted by:</b>	Germany
<b>Date:</b>	17/03/2015

### Note

This document has been prepared by the evaluating Member State given in the CoRAP update.

## Contents

1	IDENTITY OF THE SUBSTANCE.....	3
1.1	Other identifiers of the substance	3
2	CLASSIFICATION AND LABELLING.....	3
2.1	Harmonised Classification in Annex VI of the CLP	3
2.2	Self classification	3
2.3	Proposal for Harmonised Classification in Annex VI of the CLP	3
3	INFORMATION ON AGGREGATED TONNAGE AND USES .....	4
4	OTHER COMPLETED/ONGOING REGULATORY PROCESSES THAT MAY AFFECT SUITABILITY FOR SUBSTANCE EVALUATION.....	4
5	JUSTIFICATION FOR THE SELECTION OF THE CANDIDATE CoRAP SUBSTANCE ..	4
5.1	Legal basis for the proposal	4
5.2	Selection criteria met (why the substance qualifies for being in CoRAP)	5
5.3	Initial grounds for concern to be clarified under Substance Evaluation	5
5.4	Preliminary indication of information that may need to be requested to clarify the concern	6
5.5	Potential follow-up and link to risk management	6

## 1 IDENTITY OF THE SUBSTANCE

### 1.1 Other identifiers of the substance

**Table 1: Substance identity**

<b>EC name:</b>	Not disseminated
<b>IUPAC name:</b>	Not disseminated
<b>Index number in Annex VI of the CLP Regulation</b>	N/A
<b>Molecular formula:</b>	Confidential
<b>Molecular weight or molecular weight range:</b>	Confidential
<b>Synonyms/Trade names:</b>	Wässrige Lösung des MV31-Kaliumsalz

**Type of substance**     Mono-constituent     Multi-constituent     UVCB

**Structural formula:**

### 1.2 Similar substances/grouping possibilities

None

## 2 CLASSIFICATION AND LABELLING

### 2.1 Harmonised Classification in Annex VI of the CLP

The substance is not listed in Annex VI of the CLP regulation.

### 2.2 Self classification

- Acute Tox. 4 (H302); Acute Tox 4 (H312); Skin Corr. 1B (H314); Acute Tox. 4 (H332); STOT SE 3 (H335); STOT RE 1 (H372)
- The following hazard classes are in addition notified among the aggregated self classifications in the C&L Inventory:  
None

### 2.3 Proposal for Harmonised Classification in Annex VI of the CLP

No proposal for harmonised classification is publically available.

### 3 INFORMATION ON AGGREGATED TONNAGE AND USES

From ECHA dissemination site			
<input type="checkbox"/> 1 – 10 tpa	<input type="checkbox"/> 10 – 100 tpa	<input type="checkbox"/> 100 – 1000 tpa	
<input type="checkbox"/> 1000 – 10,000 tpa	<input type="checkbox"/> 10,000 – 100,000 tpa	<input type="checkbox"/> 100,000 – 1,000,000 tpa	
<input type="checkbox"/> 1,000,000 – 10,000,000 tpa	<input type="checkbox"/> 10,000,000 – 100,000,000 tpa	<input type="checkbox"/> > 100,000,000 tpa	
<input type="checkbox"/> <1 . . . . . >+ tpa (e.g. 10+ ; 100+ ; 10,000+ tpa)		<input checked="" type="checkbox"/> Confidential	
<input checked="" type="checkbox"/> Industrial use	<input type="checkbox"/> Professional use	<input type="checkbox"/> Consumer use	<input type="checkbox"/> Closed System

### 4 OTHER COMPLETED/ONGOING REGULATORY PROCESSES THAT MAY AFFECT SUITABILITY FOR SUBSTANCE EVALUATION

<input type="checkbox"/> Compliance check, Final decision	<input checked="" type="checkbox"/> Dangerous substances Directive 67/548/EEC
<input type="checkbox"/> Testing proposal	<input type="checkbox"/> Existing Substances Regulation 793/93/EEC
<input type="checkbox"/> Annex VI (CLP)	<input type="checkbox"/> Plant Protection Products Regulation 91/414/EEC
<input type="checkbox"/> Annex XV (SVHC)	<input type="checkbox"/> Biocidal Products Directive 98/8/EEC ; Biocidal Product Regulation (Regulation (EU) 528/2012)
<input type="checkbox"/> Annex XIV (Authorisation)	<input type="checkbox"/> Other (provide further details below)
<input type="checkbox"/> Annex XVII (Restriction)	
The previously conducted NONS assessment of the substance does not reflect the current state of knowledge for the environmental assessment of such substances.	

### 5 JUSTIFICATION FOR THE SELECTION OF THE CANDIDATE CoRAP SUBSTANCE

#### 5.1 Legal basis for the proposal

- Article 44(2) (refined prioritisation criteria for substance evaluation)
- Article 45(5) (Member State priority)

## 5.2 Selection criteria met (why the substance qualifies for being in CoRAP)

- Fulfils criteria as CMR/ Suspected CMR
- Fulfils criteria as Sensitiser/ Suspected sensitiser
- Fulfils criteria as potential endocrine disruptor
- Fulfils criteria as PBT/vPvB / Suspected PBT/vPvB
- Fulfils criteria high (aggregated) tonnage (*tpa* > 1000)
- Fulfils exposure criteria
- Fulfils MS's (national) priorities

## 5.3 Initial grounds for concern to be clarified under Substance Evaluation

Hazard based concerns		
CMR <input type="checkbox"/> C <input type="checkbox"/> M <input type="checkbox"/> R	Suspected CMR <sup>1</sup> <input type="checkbox"/> C <input type="checkbox"/> M <input type="checkbox"/> R	<input type="checkbox"/> Potential endocrine disruptor
<input type="checkbox"/> Sensitiser	<input type="checkbox"/> Suspected Sensitiser <sup>1</sup>	
<input type="checkbox"/> PBT/vPvB	<input checked="" type="checkbox"/> Suspected PBT/vPvB <sup>1</sup>	<input type="checkbox"/> Other (please specify below)
Exposure/risk based concerns		
<input type="checkbox"/> Wide dispersive use	<input type="checkbox"/> Consumer use	<input type="checkbox"/> Exposure of sensitive populations
<input checked="" type="checkbox"/> Exposure of environment	<input type="checkbox"/> Exposure of workers	<input type="checkbox"/> Cumulative exposure
<input type="checkbox"/> High RCR	<input type="checkbox"/> High (aggregated) tonnage	<input type="checkbox"/> Other (please specify below)
<p>The intrinsic properties of the substance may be of concern. The substance is hydrolytically stable and not readily biodegradable. No BCF is available. For the assessment of the bioaccumulation potential additional information (e.g. protein binding potential) may be required, since other mechanisms for bioaccumulation than covered by log K<sub>ow</sub> and BCF are of relevance for this class of fluorinated substances.</p>		

<sup>1</sup> CMR/Sensitiser: known carcinogenic and/or mutagenic and/or reprotoxic properties/known sensitising properties (according to CLP harmonized or registrant self-classification or CLP Inventory)

Suspected CMR/Suspected sensitiser: suspected carcinogenic and/or mutagenic and/or reprotoxic properties/suspected sensitising properties (not classified according to CLP harmonized or registrant self-classification)

Suspected PBT: Potentially Persistent, Bioaccumulative and Toxic

### 5.4 Preliminary indication of information that may need to be requested to clarify the concern

<input type="checkbox"/> Information on toxicological properties	<input type="checkbox"/> Information on physico-chemical properties
<input checked="" type="checkbox"/> Information on fate and behaviour	<input checked="" type="checkbox"/> Information on exposure
<input checked="" type="checkbox"/> Information on ecotoxicological properties	<input type="checkbox"/> Information on uses
<input type="checkbox"/> Information ED potential	<input type="checkbox"/> Other (provide further details below)

Based on a preliminary examination of the available data, information to assess the bioaccumulation potential is required. To clarify the bioaccumulation potential a testing on whether the substance binds to proteins would be needed.

A test on long-term ecotoxicity of the substance might be requested because of so far missing chronic data.

Additionally, a detailed evaluation of the available data may lead to further information requirements.

### 5.5 Potential follow-up and link to risk management

<input checked="" type="checkbox"/> Harmonised C&L	<input checked="" type="checkbox"/> Restriction	<input checked="" type="checkbox"/> Authorisation	<input type="checkbox"/> Other (provide further details)
--	---	---	--

Depending on the outcome of the substance evaluation, an analysis of risk management options shall be carried out to identify appropriate risk management measures.