

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

STERI-PEROX 6%

Product type(s)

PT02: Disinfectants and algaecides not intended for direct application to humans or animals

Authorisation number: 1-2

R4BP asset number: EU-0031643-0002

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	STERI-PEROX 6%
---------------	----------------

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Veltek Associates Inc. Europe
	Address	Rozengaard 1940 8212DT Lelystad Netherlands
Authorisation number	1-2	
<i>R4BP asset number</i>	EU-0031643-0002	
Date of the authorisation	10/07/2024	
Expiry date of the authorisation	30/06/2034	

1.3. Manufacturer(s) of the product

1.4. Manufacturer(s) of the active substance(s)

Active substance	Hydrogen peroxide
Name of manufacturer	Evonik Operations GmbH (Acting for Evonik Active Oxygens, LLC (US))
Address of manufacturer	One Commerce Square 2005 Market Street Suite 3200 PA 19103 Philadelphia United States (the)
Location of manufacturing sites	Evonik Operations GmbH (Acting for Evonik Active Oxygens, LLC (US)) site 1 PeroxyChem Bayport Plant, 12000 Bay Area Blvd TX 77507 Pasadena United States (the)

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Hydrogen peroxide		active substance	7722-84-1	231-765-0	6,4

2.2. Type(s) of formulation

AL Any other liquid

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H319: Causes serious eye irritation.
Precautionary statements	P264: Wash face and hands thoroughly after handling. P280: Wear eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313: If eye irritation persists: Get medical advice.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. 2.1 - Industrial use – Liquid spraying - Indoors - Meta SPC 2

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data Scientific name: no data Common name: Fungi Development stage: no data
Field(s) of use	indoor use Disinfectant of hard non-porous inanimate surfaces, materials and equipment which are not used for direct contact with food or feeding stuffs. Not for use in medical areas. Disinfectant for use in manufacturing facilities including the clean room areas found in the pharmaceutical, biopharmaceutical, medical device and diagnostic industries.
Application method(s)	Method: spraying Detailed description: -
Application rate(s) and frequency	Application rate: 60 ml product per m ² Dilution (%): The product is ready to use. Number and timing of application: Frequency: 3 applications per day. Contact time: 10 minutes for bacteria and yeasts, 20 minutes for fungi Use temperature: room temperature
Category(ies) of users	industrial
Pack sizes and packaging material	473 ml bottle (sterile only). 946 ml bottle (sterile only). Trigger spray attachment is supplied separately. Packaging materials: Bottles Bottles are made of high density polyethylene (opaque). A separate hand sprayer has polypropylene dip tube. The bottle cap is polypropylene, the induction seal is polypropylene. Bottles

are provided with a polyethylene sprayer separately within bags, the sprayers are not connected to the bottles and are supplied separately. The sterile versions are individually double-bagged and bags are heat-sealed shut. Optional quadruple bagging is available. Distributors distribute sealed cases, not individual customers.

4.1.1. Use-specific instructions

Pre-clean surface before application. Unwrap and apply trigger to bottle. Pre-clean surface before application. Direct the spray onto the surface from a distance of 15-20 cm away. Thoroughly wet surface with product and allow to take effect for a minimum of 10 minutes (bactericidal, yeasticidal uses) and 20 minutes (for fungicidal uses). Allow surface to air dry, or after the required contact time has been achieved, wipe dry with sterilised cloth or wipe, if necessary.

4.1.2. Use-specific risk mitigation measures

4.1.3. Use-specific risk mitigation measures

See general directions for use

4.1.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2. Use description

Table 2. 2.2 - Industrial use – Liquid Soaking – Indoors – Meta SPC 2

Product type	PT02: Disinfectants and algacides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-

Target organism(s) (including development stage)	<p>Scientific name: no data Common name: Bacteria Development stage: no data</p> <p>Scientific name: no data Common name: Yeasts Development stage: no data</p> <p>Scientific name: no data Common name: Fungi Development stage: no data</p> <p>Scientific name: no data Common name: Bacterial spores Development stage: no data</p>
Field(s) of use	<p>indoor use</p> <p>Disinfectant of hard non-porous inanimate surfaces, materials and equipment which are not used for direct contact with food or feeding stuffs. Not for use in medical areas. Disinfectant for use in manufacturing facilities including the clean room areas found in the pharmaceutical, biopharmaceutical, medical device and diagnostic industries.</p>
Application method(s)	<p>Method: Soaking</p> <p>Detailed description: -</p>
Application rate(s) and frequency	<p>Application rate: -</p> <p>Dilution (%): The product is ready to use.</p> <p>Number and timing of application:</p> <p>Frequency: 3 applications per day Contact time: 10 minutes (bactericidal, yeasticidal), 20 minutes (fungicidal), 60 minutes (sporicidal) Use temperature: room temperature</p>
Category(ies) of users	industrial
Pack sizes and packaging material	<p>Bottles: 473 ml bottle (sterile only) 946 ml bottle (sterile only).</p> <p>Bottles are made of high density polyethylene (opaque). The bottle cap is polypropylene, the induction seal is polypropylene. The sterile versions are individually double-bagged and bags are heat-sealed shut. Optional quadruple bagging is available. 3,79 litres (sterile and non-sterile) Containers made of high density polyethylene (opaque) with a moulded carrying handle and small screw-capped pouring spout moulded towards the top edge. Polypropylene screw cap with liner covers the pouring opening, the induction seal is polypropylene. All bottle caps are screw caps and able to be re-applied onto the bottle.</p>

Distributors distribute sealed cases, not individual containers. The sterile versions are individually double-bagged and bags are heat-sealed shut. Optional quadruple bagging is available.

Drum:

200 litres (sterile only)

High Density polyethylene (opaque). Blow moulded, closed head. Molded integral top ring. Double bagged and shrink wrapped to secure it.

For secure dispensing after opening, the 200 litres drum has a 5 centimeter top-mounted polypropylene screw cap having a one-way directional dip tube attached to a length of 0,95 cm Santoprene® 73A FDA rubber tubing to connect to a peristaltic non-product contact dispensing pump of the customer's choice – not supplied. The pump and tubing remain attached and ready for dispensing during the entire use period. There are no fittings for adding material back into the drum.

4.2.1. Use-specific instructions

Pre-clean surface before application. immerse item in a basin with product and allow to remain in the basin for a minimum of 10 minutes (bactericidal, yeasticidal uses), 20 minutes (fungicidal uses) or 60 minutes (sporicidal use). After the required contact time has been achieved, allow surface to air dry, or wipe dry with sterilised cloth or wipe, if necessary. Only use dipping bath once.

4.2.2. Use-specific risk mitigation measures

4.2.3. Use-specific risk mitigation measures

See general directions for use

4.2.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.2.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.2.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General directions for use

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Use with adequate ventilation and apply away from eyes and face.

5.2. Risk mitigation measures

During application only the user of the product can be present in the room.

During application and for re-entry, the airborne hydrogen peroxide levels may not exceed the AEC inhalation limit of 1.25 mg/m³ (or a lower relevant national reference value). A calibrated sensor shall be used to establish that the airborne hydrogen peroxide levels are not exceeded.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.

IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.

IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

5.4. Instructions for safe disposal of the product and its packaging

Waste disposal recommendations: Dispose in a safe manner in accordance with local or national regulations.

Ecology – waste materials: Avoid release to the environment

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep container tightly closed. Keep in a cool, well-ventilated place. Reseal package between uses to retain moisture. For the liquid discard 60 days after opening

Store in original container. Protect from frost. Do not store at temperatures higher than 40°C.

Shelf-life = 2 years

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

6. OTHER INFORMATION

Trade name: STERI-PEROX[®] 6%