Summary of product characteristics for a biocidal product

Product name: TX201 TRAITEMENT MEUBLES PARQUETS – SPRAY

Product type(s): PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

Authorisation number: FR-2018-0051

R4BP 3 asset reference number: FR-0014289-0000

Table Of Contents

A desinistrative information	
Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	7
5.1. Instructions for use	7
5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
5.4. Instructions for safe disposal of the product and its packaging	7
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	7
6. Other information	8

Administrative information

1.1. Trade names of the product

TX201 TRAITEMENT MEUBLES PARQUETS – SPRAY	

1.2. Authorisation holder		
Name and address of the	Name	V33
authorisation holder	Address	La Muyre 39210 Domblans France
Authorisation number	FR-2018-0051	
R4BP 3 asset reference number	FR-0014289-0000	
Date of the authorisation	30/08/2018	
Expiry date of the authorisation	20/08/2028	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	V33
Address of the manufacturer	La Muyre 39210 Domblans France
Location of manufacturing sites	La Muyre 39210 Domblans France

1.4. Manufacturer(s) of the active substance(s)

Active substance	1342 - Permethrin
Name of the manufacturer	LANXESS Deutschland GmbH
Address of the manufacturer	Kennedyplatz 1 D-50569 Köln Germany
Location of manufacturing sites	Bayer Vapi Private Limited Plot # 306/3 II Phase, GIDC, Vapi 396 195 Gujarat India
Active substance	1342 - Permethrin
Name of the manufacturer	Caldic Denmark A/S (acting for Tagros Chemicals India Ltd.)
Address of the manufacturer	"Jhaver Centre", Rajah Annamalai Building, IV Floor, 72, Marshalls Road, Egmore 600 008 Chennai India

A4/1&2 Sipcot Industrial Complex Kudikadu Cuddalore Tamil Nadu India

2. Product composition and formulation

Location of manufacturing sites

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Permethrin		Active Substance	52645-53-1	258-067-9	0,56
ShellSol D60	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		64742-48-9	918-481-9	79,4

2.2. Type of formulation

AE - Aerosol dispenser

3. Hazard and precautionary statements

Hazard statements

Extremely flammable aerosol.

Pressurised container: May burst if heated

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

Repeated exposure may cause skin dryness or cracking.

Contains permethrin. May produce an allergic reaction.

Precautionary statements

Store locked up.

Avoid release to the environment.

Collect spillage.

Dispose of contents to hazardous waste.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. -No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Protect from sunlight.Do not expose at temperatures exceeding 50 °C/122 °F.

Keep out of reach of children.

Read carefully and follow all instructions.

4. Authorised use(s)

4.1 Use description

Use 1 - Preventive application

Product type

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

PT08 - Wood preservatives (Preservatives)

Preventive treatment for wood on use class 1

Scientific name: Hylotrupes bajulus Common name: House longhorn beetle Development stage: Larvae

Scientific name: Anobium punctatum Common name: Common furniture beetle Development stage: Larvae

Scientific name: Lyctus brunneus Common name: Powder post beetles Development stage: Larvae

Scientific name: Reticulitermes sp. Common name: European subterranean termites Development stage: workers, soldiers and nymphs

Scientific name: Coptotermes Common name: Asian subterranean termite Development stage: workers, soldiers, and nymphs

Scientific name: Heterotermes sp. Common name: Subterranean termites Development stage: workers, soldiers and nymphs

Field(s) of use	Indoor		
	Indoor use, on softwood and hardwood.		
Application method(s)	Superficial application / spray - The product is ready to use aerosol		
	The application is performed by spraying		
	Application rate is in the analytical zone : UC1 : 200 mL (after degassing) /m²		
Application rate(s) and frequencies	200 mL (after degassing) /m²		
Category(ies) of users	Professional		
	General public (non-professional)		
Pack sizes and packaging material	520 mL aerosol white tin cans without internal varnish and with polypropylene diffuser.		
4.1.1 Use-specific instructions for use			
-			
4.1.2 Use-specific risk mitigation measures			
-			
4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment			
-			

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		
-		
4.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
-		
4.2 Use description		
Use 2 - Curative application		
Product type	PT08 - Wood preservatives (Preservatives)	
Where relevant, an exact description of the authorised use	Curative treatment for wood in service.	
Target organism(s) (including development stage)	Scientific name: Hylotrupes bajulus Common name: House longhorn beetle Development stage: Larvae	
	Scientific name: Anobium punctatum Common name: Common furniture beetle Development stage: Larvae	
	Scientific name: Lyctus brunneus Common name: Powder post beetles Development stage: Larvae	
	Scientific name: Reticulitermes sp. Common name: European subterranean termites Development stage: workers, soldiers and nymphs	
	Scientific name: Coptotermes sp. Common name: Asian subterranean termite Development stage: workers, soldiers and nymphs	
	Scientific name: Heterotermes sp. Common name: Subterranean termites Development stage: workers, soldiers and nymphs	
	Indoor	
Field(s) of use	Curative treatment for wood in service (indoor).	
Application method(s)	Superficial application / spray - The product is ready to use.	
	The application is performed by spraying.	
	The application rate is :	

	- 300 mL of product / m² of wood
	Injection (combined with a superficial application) - When the application is performed by injection (combined with a superficial application), the application rate is: 150 mL (after degassing) of product / m² of wood (+ 300 mL of product / m² of wood for the superficial application)
Application rate(s) and frequencies	300 mL of product / m² of wood - 100 - 150 mL (after degassing) of product / m² of wood (+ 300 mL of product / m² of wood for the superficial application) -
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	520 mL aerosol white tin cans without internal varnish and with polypropylene diffuser
4.2.1 Use-specific instruction	ns for use
Curative treatments performed by injection	on must always be combined with curative treatments applied by superficial application.
4.2.2 Use-specific risk mitiga	ation measures
For professionals, wear protective chemi product information) during application of	cal resistant gloves (glove material to be specified by the authorisation holder within the f the product by spraying.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.2.4 Where specific to the us	se, the instructions for safe disposal of the product and its

packaging

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
-

5. General directions for use

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder

5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock
- Keep out of reach of the children.
- Only use in well ventilated areas.
- Avoid contact with skin.
- Wash hands thoroughly after handling.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Ingestion: Wash out mouth with water. Do not drink or induce vomiting. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested.
- Skin contact: Řemove contaminated clothing and shoes. Wash contaminated skin with soap and water. Contact poison treatment specialist if symptoms occur.
- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets, ...) or down the drains.
- Dispose of unused product, its packaging and any other waste in accordance with local regulations.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

chelf life: 48 months	
incli inc. 40 months	
o not store at temperature superior to 40°C.	
to not store at temperature superior to 40°C.	

6. Other information

Treated wood should not be intended for uses involving contact with food, feed or livestock.