Summary of product characteristics for a biocidal product

Product name: 7.1 Dodin 20

Product type(s): PT04 - Food and feed area (Disinfectants)

PT03 - Veterinary hygiene (Disinfectants)

Authorisation number: EU-0022265-0000

R4BP 3 asset reference number: IS-0025089-0010

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	4
3. Hazard and precautionary statements	4
4. Authorised use(s)	4
5. General directions for use	8
5.1. Instructions for use	0
	8
5.2. Risk mitigation measures	8
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	9
5.4. Instructions for safe disposal of the product and its packaging	9
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	9
6. Other information	9

Administrative information

1.1. Trade names of the product

Dodin 20
lodo 20
Bio Tec Joddesinfektion
Dufa dine 1,8%
Alfasan super disinfectant
lodes
Streptoclean
Iodin Surface Disinfectant 1,8%
IODINE

EU-0022265-0000 1-7

1.2. Authorisation holder

Name and address of the authorisation holder

Name	CID LINES NV
Address	Waterpoortstraat 2 8900 leper Belgium

Authorisation number

R4BP 3 asset reference	

Date of the authorisation

Expiry date of the authorisation

number

IS-0025089-0010
03/09/2020
31/08/2030

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	CID LINES NV
Address of the manufacturer	Waterpoortstraat 2 8900 leper Belgium
Location of manufacturing sites	Waterpoortstraat 2 8900 leper Belgium

1.4. Manufacturer(s) of the active substance(s)

Active substance	1319 - Iodine
Name of the manufacturer	SQM S.A.
Address of the manufacturer	Los Militares, Piso 4 4290 Santiago Chile
Location of manufacturing sites	Nueva Victoria plant 00 Pedro de Valdivia Chile
Active substance	1319 - Iodine
Name of the manufacturer	Cosayach Nitratos S.A.
Address of the manufacturer	Amunategui 178 00 Santiago Chile
Location of manufacturing sites	Cala Cala 00 Pozo Almonte Chile
Active substance	1319 - Iodine
Name of the manufacturer	ACF Minera S.A.
Address of the manufacturer	San Martin No 499 00 Iquique Chile
Location of manufacturing sites	Lagunas mine 00 Pozo Almonte Chile

Active substance	1319 - Iodine
Name of the manufacturer	ISE Chemicals Corporation
Address of the manufacturer	3-1, Kyobashi 1-Chome 104-0031 Tokyo Japan
Location of manufacturing sites	3695 Kitaimaizumi 299-3201 Oamishirasato city Japan
Active substance	1349 - Polyvinylpyrrolidone iodine
Name of the manufacturer	ISP Chemicals LLC, Afiliate of Ashland Inc
Address of the manufacturer	455 N. main st (HWY 95) KY 42029 Calvert City United States
Location of manufacturing sites	455 N. main st (HWY 95) KY 42029 Calvert City United States
Active substance	1349 - Polyvinylpyrrolidone iodine
Name of the manufacturer	Pantheon FZE (DMCC branch)
Address of the manufacturer	403, Reef Tower, Jumeira Lake Tower Shaikh Zayed Road 00 Dubai United Arab Emirates
Location of manufacturing sites	Cala Cala 00 Pozo Almonte Chile

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
lodine		Active Substance	7553-56-2	231-442-4	1,8
Polyvinylpyrrolidone iodine		Active Substance	25655-41-8		0
Alcohols, C12-15, ethoxylated	Alcohols, C12-15, ethoxylated	Non-active substance	68131-39-5	500-195-7	5,29
Phosphoric acid	Phosphoric acid	Non-active substance	7664-38-2	231-633-2	0
Alcohol C9-11 + 6 EO	Alcohol C9-11 + 6 EO	Non-active substance	68439-46-3		5

2.2. Type of formulation

SL - Soluble concentrate

3. Hazard and precautionary statements

Hazard statements

Causes serious eye damage.

May cause damage to organs (thyroid) through prolonged or repeated exposure (oral).

May be corrosive to metals.

Toxic to aquatic life with long lasting effects.

Precautionary statements

Wear protective gloves.

Wear protective clothing.

Wear eye protection.

Wear face protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a doctor or a POISON CENTER.

Dispose of contents to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Dispose of container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Collect spillage.

Avoid release to the environment.

4. Authorised use(s)

4.1 Use description

Use 1 - PT 4 - Concentrated Surface disinfectant in kitchens and in food industry, lodine

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Common name: Bacteria Development stage:

Scientific name:

Scientific name: Common name: Yeasts Development stage:

Field(s) of use

Indoor

Non-porous surface disinfection in professional kitchens and in food industry

Application method(s)

By spraying with a manual or an automatic sprayer

Detailed description:

Application rate(s) and frequencies

Application Rate: Assume 0,04L solution for every square meter that has to be disinfected.

Dilution (%): Bactericidal and yeasticidal activity: 0,015% iodine

Number and timing of application:

Frequency is once per day.

Category(ies) of users

Professional

Pack sizes and packaging material

1L, 5L, 10L, 20L, 25L, 30L, 60L, 200L, 600L, 1000L **HDPE**

4.1.1 Use-specific instructions for use

Use in professional kitchens (PT4) and in food industry (PT4):

The product must be diluted with water before use (according to the table below).

Clean the surfaces thoroughly with a detergent before disinfection. Rinse with clean water and remove surplus water.

The product is used in professional kitchens (surface disinfection): Frequency is once per day.

The product is used in food industry (surface disinfection): Frequency is once per day.

Use at room temperature.

Apply the product by spraying with a manual or an automatic sprayer. Make sure to wet the surface completely. Allow to take effect for at least 15 minutes and rinse the surfaces afterwards with clean water.

Example for a product containing 1% iodine* Bactericidal and yeasticidal activity

Dilution of the product 1,5% (15 ml product, add water up to 1L) Contact time 15 min

*Each product label should give information on how the dilution should be made. Since the concentration of iodine in products within this meta SPC can range from 1,8 to 2,49% it is not possible to indicate all product dilutions here.

Do not mix with other chemicals. Do not prepare more fluid than necessary	y.
4.1.2 Use-specific risk mitiga	ition measures
authorisation holder within the product inDuring spraying of the product: Wear	oncentrated product: Wear chemical resistant gloves (material to be specified by the formation) and eye/face protection. chemical resistant gloves and protective coverall (at least type X, EN XXXXX) (glove and uthorisation holder within the product information).
Keep out of reach of children.The general public and animals shoul	d be kept away from treated areas until surfaces are dry.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
See general directions for use.	
4.1.4 Where specific to the uspeckaging	se, the instructions for safe disposal of the product and its
See general directions for use.	
1.1.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
See general directions for use.	
4.2 Use description	face disinfectant for veterinary use, lodine
Product type	PT03 - Veterinary hygiene (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:

Scientific name: Common name: Viruses Development stage: Field(s) of use

Indoor

Non-porous surface disinfection in veterinary field

Application method(s)

By spraying with a manual or an automatic sprayer Detailed description:

1

Application rate(s) and frequencies

Application Rate: Assume 0,04L solution for every square meter that has to be disinfected.

Dilution (%): Bactericidal and yeasticidal activity: 0.025% in-use iodine Virucidal activity:

0,035% in-use iodine

Number and timing of application: See use-specific risk mitigation measures

Category(ies) of users

Professional

Pack sizes and packaging material

1L, 5L, 10L, 20L, 25L, 30L, 60L, 200L, 600L, 1000L HDPE

4.2.1 Use-specific instructions for use

Use in veterinary field (PT3), surface disinfection:

Product should be diluted with water before use (according to table below).

Clean the surfaces thoroughly with a detergent before disinfection. Rinse with clean water and remove surplus water.

The product is used to disinfect animal housings of pigs, cows and poultry.

Apply the product by spraying with a manual or an automatic sprayer. Make sure to wet the surface completely. Allow to take effect for at least 30 minutes. Animal housing must be empty of animals during application and animals can re-enter 24h after the end of the application.

Example for a product containing 2.49% iodine*

Dilution of the product

Contact time 30 min

Bactericidal and yeasticidal activity Virucidal activity

1% (10ml product, add water up to 1L) 1,4% (14ml product, add water up to 1L)

30 min

*Each product label should give information on how the dilution should be made. Since the concentration iodine in products within this meta SPC can range from 1,8 to 2,49% it is not possible to indicate all product dilutions here.

Do not mix with other chemicals.

Do not prepare more fluid than necessary.

4.2.2 Use-specific risk mitigation measures

- During pouring and pumping of the concentrated product: Wear chemical resistant gloves, coated coverall (material to be specified by the authorisation holder within the product information) and eye/face protection.
- During spraying of the product: Wear chemical resistant gloves and protective coverall (at least type X, EN XXXXX) which is impermeable for the biocidal product (glove and coverall material to be specified by the authorisation holder within the product information).
- Only use one kind of lodine-containing product per day.
- Due to potential concern for human health the same professional user shall not carry out animal house disinfection more than 3 times per month and shall not use Iodine products for other purposes during that period.

 • Due to potential concern for animal health, disinfection of stables should not be carried out more than once per year or once per
- lifetime for calves and pigs. Feeding troughs must be covered during application.
- Keep out of reach of children.
- The general public and animals should be kept away from treated areas until surfaces are dry.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
See general directions for use.
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
See general directions for use.
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
See general directions for use.
5. General directions for use
5.1. Instructions for use
See use-specific instructions for use.

5.2. Risk mitigation measures

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency neasures to protect the environment	y
After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Contir rinsing. Obtain emergency medical attention if pain, blinking, tears or redness persist.	iue
If medical advice is needed, have product container or label at hand.	
After ingestion: Rinse mouth. Spit. Do NOT induce vomiting and immediately get medical advice.	
Have product container or label at hand.	
At the end of the treatment, dispose unused product and the packaging in accordance with local requirements. Used product flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an indiwaste water treatment plant.	
.5. Conditions of storage and shelf-life of the product under normal conditions of sto	orage
Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use. Protect from frost. Do not expose to temperatures >40°C.	orage
.5. Conditions of storage and shelf-life of the product under normal conditions of sto Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use. Protect from frost. Do not expose to temperatures >40°C. The shelf-life of the products is 2 years.	orage
Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use. Protect from frost. Do not expose to temperatures >40°C. The shelf-life of the products is 2 years.	orage
Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use. Protect from frost. Do not expose to temperatures >40°C. The shelf-life of the products is 2 years. 6. Other information	orage
Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use. Protect from frost. Do not expose to temperatures >40°C.	orage

Precautionary statements: P280 Notið hlífðarhanska.

P280 Notið hlífðarfatnað.

P280 Notið augnhlífar.

P280 Notið andlitshlífar.

P305 + P351 + P338 BERIST EFNIÐ Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægið snertilinsur ef það er auðvelt. Skolið áfram.

P310 Hringið umsvifalaust í lækni / EITRUNARMIÐSTÖÐ s. 112 / 543 2222

P501 Fargið innihaldi hjá viðurkenndum móttökuaðila spilliefna í samræmi við staðbundnar/svæðisbundnar/landsbundnar/alþjóðlegar reglur.

P501 Fargið íláti hjá viðurkenndum móttökuaðila spilliefna í samræmi við staðbundnar/svæðisbundnar/landsbundnar/alþjóðlegar reglur.

P391 Safnið upp því sem hellist niður. P273 Forðist losun út í umhverfi.