# Summary of product characteristics for a biocidal product

Product name: PRODUCT 2-1 - Quaron

Product type(s):

 $\mbox{\sc PT02}$  - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

 $\mbox{\sc PT02}$  - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: FR-2023-0074

R4BP 3 asset reference number: FR-0021555-0004

# **Table Of Contents**

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	20
5.1. Instructions for use	
5.2. Risk mitigation measures	20
5.2. Risk miligation measures	20
<ol><li>5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment</li></ol>	20
5.4. Instructions for safe disposal of the product and its packaging	21
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	21
6. Other information	21

# **Administrative information**

# 1.1. Trade names of the product

PRODUCT 2-1 - Quaron		

# 1.2. Authorisation holder

Name and address of the authorisation holder

Name	STOCKMEIER FRANCE SAS
Address	3 rue de la Buhotière 35091 RENNES France

**Authorisation number** 

FR-2023-0074 1-2

R4BP 3 asset reference number

FR-0021555-0004

Date of the authorisation

19/12/2023

Expiry date of the authorisation

18/12/2033

# 1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

QUARON SAS

Address of the manufacturer

3 rue de la Buhotière – Saint-Jacques de la Lande - BP 89 152 35091 Rennes CEDEX 9 France

**Location of manufacturing sites** 

3 rue de la Buhotière 35136 Saint-Jacques de la Lande France

Rue des Criquiers 60220 Formerie France

# 1.4. Manufacturer(s) of the active substance(s)

Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Corbion Purac Bioquimica sa
Address of the manufacturer	Gran Vial 19-25 08160 MONTMELÓ Spain
Location of manufacturing sites	Gran Vial 19-25 08160 MONTMELÓ Spain
	Arkelsedijk 46 NL-4200 GORINCHEM Netherlands
Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Jungbunzlauer S.A.
Address of the manufacturer	ZI Portuaire - BP 32 F-67390 Marcklosheim France

Jungbunzlauer S.A - ZI Portuaire - BP 32 F-67390 Marcklosheim France

# 2. Product composition and formulation

**Location of manufacturing sites** 

# 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0,011

# 2.2. Type of formulation

SL - Soluble concentrate

# 3. Hazard and precautionary statements

### **Hazard statements**

May be corrosive to metals.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

Corrosive to the respiratory tract.

# **Precautionary statements**

Keep only in original packaging.

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED:Rinse mouth.Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with .

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a corrosive resistant/... container with a resistant inner liner.

If skin irritation or rash occurs:Get medical .

Avoid release to the environment.

Dispose of to .

# 4. Authorised use(s)

# 4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying – Professionals - PT2 – Soluble concentrate (Use 1)

# **Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

# Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

# Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

# Application method(s)

Method: Spraying Detailed description: Manual surface spraying.

# Application rate(s) and frequencies

Application Rate: -

Dilution (%):

Number and timing of application:

At a temperature of 40°C:

Bacteria and yeasts: 8% v/v, 15 minutes.

# Category(ies) of users

Professional

# Pack sizes and packaging material

100mL to 2L HDPE/PET Bottle

1L HDPE Bottle with handle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

5L HDPE Jerrican with distributor pump

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

- For healthcare	settings: clean carefully the surfaces before application of the product.
.1.2 Use-spe	ecific risk mitigation measures
	iser: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holde information) during mixing and loading, application and rinsing.
For professional b	ystander:
	sent in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be the PPE as the professional user.
- Do not touch th	ne surface until it is completely dried.
or General publi	c:
Do not be pres	sent in the treatment area during disinfection process by compression sprayer.
Do not touch the	ne surface until it is rinsed and completely dried.
Children shoul	d not be present during disinfection and until the surface is rinsed and dried.
	specific to the use, the particulars of likely direct or indirect effects, first aid and emergency measures to protect the environment
-	
.1.4 Where s ackaging	specific to the use, the instructions for safe disposal of the product and its

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage		
-		
4.2 Use description		
4.2 Use description		
Use 2 - Disinfection of hard sur spraying) – Professionals - PT2	faces by manual spraying using mural cleaning station (liquid/foam e – Soluble concentrate (Use 2)	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
	Indoor	
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals).	
Application method(s)	Method: Manual spraying with a mural cleaning station Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.	
Application rate(s) and frequencies	Application Rate: - Dilution (%): - Number and timing of application: At a temperature of 40°C:	
	- Bacteria and yeasts: 8% v/v, 15 minutes.	
Category(ies) of users	Professional	
Pack sizes and packaging material	5 to 30L HDPE Jerrican	
	60-220L HDPE Drum	

2.1 Use-specific instructions for use
For healthcare settings: clean carefully the surfaces before application of the product.
2.2 Use-specific risk mitigation measures
For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder vithin the product information) during mixing and loading, application and rinsing.
For professional bystander:
Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
Do not touch the surface until it is completely dried.
For General public:
Do not be present in the treatment area during disinfection process by compression sprayer.
Do not touch the surface until it is rinsed and completely dried.
Children should not be present during disinfection and until the surface is rinsed and dried.
.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid astructions and emergency measures to protect the environment
.2.4 Where specific to the use, the instructions for safe disposal of the product and its

1000L HDPE Bulk container (IBC)

packaging

-			
I.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage			
-	<u> </u>		
4.3 Use description			
Use 3 - Disinfection of hard sur - Soluble concentrate (Use 3)	faces of equipment by manual dipping/soaking– Professionals - PT2		
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:		
	Scientific name: Common name: Yeasts Development stage:		
Field(s) of use	Indoor		
, ,	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals).		
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.		
	The state of the s		
Application rate(s) and requencies	Application Rate: - Dilution (%): - Number and timing of application: At a temperature of 20°C:		
	- Bacteria and yeasts: 20% v/v, 30 minutes.		
	At a temperature of 40°C:		
	- Bacteria and yeasts: 8% v/v, 15 minutes.		

# Professional Category(ies) of users 100mL to 2L HDPE/PET Bottle Pack sizes and packaging material 1L LDPE Dosing bottle 1L HDPE Dosing bottle 1 to 5 L HDPE Pouch 5 to 30L HDPE Jerrican 5-10-20L LDPE/PET Bag in box (cubitainer) 60-220L HDPE Drum 1000L HDPE Bulk container (IBC) 4.3.1 Use-specific instructions for use For healthcare settings: clean carefully the surfaces before application of the product. 4.3.2 Use-specific risk mitigation measures The professional user has to wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing. - Do not immerse hands in the bath Let the equipment soak for the necessary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by rinsing without touching the equipment that has remained in the tank. 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging			
-			
4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage			
-			
4.4 Use description			
Use 4 - Disinfection of hard sur PT2 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals -		
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:		
	Scientific name: Common name: Yeasts Development stage:		
Field(s) of use	Indoor		
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals).		
Application method(s)	Method: Wiping/mopping/brushing/scrubbing Detailed description: Wiping/mopping/brushing/scrubbing without mechanical action.		
Application rate(s) and frequencies	Application Rate: - Dilution (%): - Number and timing of application: At a temperature of 20°C:		
	- Bacteria and yeasts: 20% v/v, 30 minutes.		
	At a temperature of 40°C:		
	- Bacteria and yeasts: 8% v/v, 15 minutes.		

# Professional Professional Professional 100mL to 2L HDPE/PET Bottle 1L LDPE Dosing bottle 1L HDPE Dosing bottle 1 to 5 L HDPE Pouch 5 to 30L HDPE Jerrican 5-10-20L LDPE/PET Bag in box (cubitainer) 60-220L HDPE Drum 1000L HDPE Bulk container (IBC)

# 4.4.1 Use-specific instructions for use

For healthcare settings: clean carefully the surfaces before application of the product.

# 4.4.2 Use-specific risk mitigation measures

-	For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the produc
inf	ormation) during the mixing and loading, the application and the rinsing.

- Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities
- A mop/brush with a handle has to be used to apply the in-use solution
- Do not immerse hands in the solution

For professional bystander:

- Do not touch the surface until it is con	npletely dried		
For general public :			
- Do not touch the surface until it is rins	sed and completely dried"		
- Children should not be present during	disinfection and until the surface is rinsed and dried.		
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment		
-			
4.4.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its		
-			
I.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage			
-			
4.5 Use description			
Use 5 - Disinfection of hard surfaces and equipment by manual liquid spraying – Professionals - PT4 – Soluble concentrate (Use 9)			
Product type	PT04 - Food and feed area (Disinfectants)		
Where relevant, an exact description of the authorised use	-		
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:		
	Scientific name: Common name: Yeasts Development stage:		
	Indoor		
Field(s) of use	Indoor		
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).		

Application method(s)	Method: Spraying Detailed description: Manual surface spraying.
Application rate(s) and frequencies	Application Rate: - Dilution (%): - Number and timing of application: At a temperature of 40°C:
	- Bacteria and yeasts: 8% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	5 to 30L HDPE Jerrican
material	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.5.1 Use-specific instruction	ns for use
-	
4.5.2 Use-specific risk mitiga	tion measures
For professional user: wear gloves, prote within the product information) during mix	ctive coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.
For professional bystander:	
- Do not be present in the treatment are present, wear same PPE as the profession	ea during disinfection process by compression/knapsack sprayer. If it is necessary to be onal user.
- Do not touch the surface until it is con	npletely dried.

For General public:	
- Do not be present in the treatment are	ea during disinfection process by compression sprayer.
- Do not touch the surface until it is rins	sed and completely dried.
- Children should not be present during	disinfection and until the surface is rinsed and dried.
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.5.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.5.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage
-	
4.6 Use description	
Use 6 - Disinfection of hard sur spraying) – Professionals - PT4	faces by manual spraying using mural cleaning station (liquid/foam – Soluble concentrate (Use 10)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

Application method(s)	Method: Manual spraying with a mural cleaning station Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.
Application rate(s) and frequencies	Application Rate: - Dilution (%): - Number and timing of application: At a temperature of 40°C: - Bacteria and yeasts: 8% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.6.1 Use-specific instruction	ns for use
-	
4.6.2 Use-specific risk mitiga	ation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

For General public:

- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.6.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its
-	
4.6.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
4.7 Use description	
Use 7 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces and equipment by manual dipping/soaking– Professionals -
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.
Application rate(s) and frequencies	Application Rate: - Dilution (%): - Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 20% v/v, 30 minutes.

At a temperature of 40°C:
- Bacteria and yeasts: 8% v/v, 15 minutes.
Professional
100mL to 2L HDPE/PET Bottle
1L LDPE Dosing bottle
1L HDPE Dosing bottle
1 to 5 L HDPE Pouch
5 to 30L HDPE Jerrican
5-10-20L LDPE/PET Bag in box (cubitainer)
60-220L HDPE Drum

# 4.7.1 Use-specific instructions for use

_				
ı				
ı				
ı	-			
ı				
ı				
ı				

1000L HDPE Bulk container (IBC)

# 4.7.2 Use-specific risk mitigation measures

- The professional user has to wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.

  - Do not immerse hands in the bath

Category(ies) of users

material

Pack sizes and packaging

Let the equipment soak for the necessary time in the bath of cleaning/disinfectant solution, then empty the bath, and finish by rinsing without touching the equipment that has remained in the tank.

	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.7.4 Where specific to the u packaging	se, the instructions for safe disposal of the product and its
-	
4.7.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.8 Use description	
Use 8 - Disinfection of hard sur PT4 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals - 12)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Wiping/mopping/brushing/scrubbing Detailed description: Wiping/mopping/brushing/scrubbing without mechanical action.
Application rate(s) and frequencies	Application Rate: - Dilution (%): - Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 20% v/v, 30 minutes.

At a temperature of 40°C: Bacteria and yeasts: 8% v/v, 15 minutes. Professional 100mL to 2L HDPE/PET Bottle 1L LDPE Dosing bottle 1L HDPE Dosing bottle 1 to 5 L HDPE Pouch 5 to 30L HDPE Jerrican 5-10-20L LDPE/PET Bag in box (cubitainer)

# 4.8.1 Use-specific instructions for use

l _			
l -			

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

# 4.8.2 Use-specific risk mitigation measures

- For professional users: wear gloves, coverall and goggles (material to be specified by the authorisation holder within the product information) during the mixing and loading, the application and the rinsing.

  - Pour the solution direct on the surface and wipe with a cloth / brush for wiping activities.
- A mop/brush with a handle has to be used to apply the in-use solution.
- Do not immerse hands in the solution.

For professional bystander:

Category(ies) of users

material

Pack sizes and packaging

Do not touch the surface until it is completely dried.

For general public:

Do not touch the surface until it is rinsed and completely dried.

	nt during disinfection and until the surface is rinsed and dried.
	the use, the particulars of likely direct or indirect effects, first aid ency measures to protect the environment
-	
I.8.4 Where specific to packaging	the use, the instructions for safe disposal of the product and its
-	
.8.5 Where specific to nder normal condition	the use, the conditions of storage and shelf-life of the product s of storage
-	
5. General directions	for use
	<b>)</b>
5.1. Instructions for us	or use.
5.1. Instructions for use  - Comply with the instructions for	or use.
<ul> <li>5.1. Instructions for use</li> <li>Comply with the instructions for use</li> <li>Apply only on non porous sur</li> <li>Inform the registration holder</li> <li>Products have been tested as</li> </ul>	or use.
- Comply with the instructions for use  - Apply only on non porous sur  - Inform the registration holder  - Products have been tested at Listeria monocytogenes at 20°C	or use.  faces.  if the treatment is ineffective.  gainst bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and
<ul> <li>Apply only on non porous sur</li> <li>Inform the registration holder</li> <li>Products have been tested at Listeria monocytogenes at 20°C</li> </ul>	or use.  faces.  if the treatment is ineffective.  gainst bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and and 40°C and Lactobacillus brevis at 40°C.  our almost all water first, then the product, then the remaining of the water.
- Comply with the instructions for use  - Apply only on non porous sur  - Inform the registration holder  - Products have been tested at Listeria monocytogenes at 20°C  - During the product dilution, products and product dilution, products and product dilution, p	or use.  faces.  if the treatment is ineffective.  gainst bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and and 40°C and Lactobacillus brevis at 40°C.  our almost all water first, then the product, then the remaining of the water.
5.1. Instructions for use  - Comply with the instructions is  - Apply only on non porous sur  - Inform the registration holder  - Products have been tested as Listeria monocytogenes at 20°C  - During the product dilution, porough is producted in the product of	or use.  faces.  if the treatment is ineffective.  gainst bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and and 40°C and Lactobacillus brevis at 40°C.  our almost all water first, then the product, then the remaining of the water.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance. IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor. 5.4. Instructions for safe disposal of the product and its packaging Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains. Dispose of unused product, its packaging and all other waste in accordance with local regulations. 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage Protect from frost. Keep away from direct sunlight. Do not store above 40°C. Shelf-life = 2 years. 6. Other information