

Summary of product characteristics for a biocidal product

Product name: RAID Cockroach Bait

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: NL-0008421-0000

R4BP 3 asset reference number: NL-0008421-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	5
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	6
6. Other information	6

Administrative information

1.1. Trade names of the product

Raid® Cockroach Bait
Baygon® Cockroach Bait
Raid® Kakkerlakken Lokdoos

1.2. Authorisation holder

Name and address of the authorisation holder	Name	SC Johnson Europe Sàrl
	Address	Z.A. la Piece 8 1180 Rolle Switzerland
Authorisation number	NL-0008421-0000	
R4BP 3 asset reference number	NL-0008421-0000	
Date of the authorisation	17/11/2022	
Expiry date of the authorisation	02/09/2032	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	SC Johnson Europe Sàrl
Address of the manufacturer	Z.A. la Piece 8 1180 Rolle Switzerland
Location of manufacturing sites	Packaging Imolese S.p.A. 22 40026 Imola Italy

1.4. Manufacturer(s) of the active substance(s)

Active substance	64 - Indoxacarb (enantiomeric reaction mass S:R 75:25)
Name of the manufacturer	Syngenta Crop Protection AG
Address of the manufacturer	Schwarzwaldallee 215 CH-4058 Basel Switzerland
Location of manufacturing sites	FMC Corporation Mobile Manufacturing Centre, US Highway 43 North, Axis 36505 Alabama United States

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Indoxacarb (enantiomeric reaction mass S:R 75:25)	Reaction mass of methyl (S)- and methyl(R)-7-chloro- 2.3,4a,5-tetrahydro-2-[methoxycarbonyl-(4-trifluoromethoxyphenyl) carbamoyl] indeno[1,2-e][1.3,4] oxadiazine-4a-carboxylate (This entry covers the 75:25 reaction mass of the S and R enantiomers)	Active Substance			0,5

2.2. Type of formulation

RB - Bait (ready for use)

3. Hazard and precautionary statements

Hazard statements	<p>May cause an allergic skin reaction.</p> <p>Harmful to aquatic life with long lasting effects.</p>
Precautionary statements	<p>If medical advice is needed, have product container or label at hand.</p> <p>Keep out of reach of children.</p> <p>IF ON SKIN:Wash with plenty of soap and water.</p>

If skin irritation or rash occurs: Get medical attention.

Dispose of container to in accordance with local regulations..

4. Authorised use(s)

4.1 Use description

Use 1 - Raid® Cockroach Bait

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

Only authorised as a means of controlling cockroaches (Blattodea) indoors (non-professional use).

Target organism(s) (including development stage)

Scientific name: *Blattella germanica*
Common name: German cockroach
Development stage: Nymphs

Scientific name: *Blattella germanica*
Common name: German cockroach
Development stage: Adults

Scientific name: *Blatta orientalis*
Common name: Oriental cockroach
Development stage: Nymphs

Scientific name: *Blatta orientalis*
Common name: Oriental cockroach
Development stage: Adults

Scientific name: *Periplaneta americana*
Common name: American Cockroach
Development stage: Nymphs

Scientific name: *Periplaneta americana*
Common name: American Cockroach
Development stage: Adults

Field(s) of use

Indoor

For indoor use, in private homes.

Application method(s)

Method: Bait station (ready-to-use)

Detailed description:

The product is a bait consisting of a brown paste with peanut butter odour containing 0.5 %w/w pure Indoxacarb stored in a sealed plastic packaging.

Application rate(s) and frequencies

Application Rate: See Number and timing of application

Dilution (%): n/a

Number and timing of application:

1-5 cockroaches observed, use up to 6 bait stations.

6-25 cockroaches observed, use up to 8 bait stations.

More than 25 cockroaches observed, use up to 12 bait stations

Do not use more than 12 bait stations at the same time.

Recommended bait placement: Place one bait station every 5 linear meters or 0.5 square meter apart.

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

2 or 6 polystyrene (PS) bait stations, packed in polypropylene (PP) wrapper, in a cardboard box with 2.5g of bait per station.

4.1.1 Use-specific instructions for use

See General Directions for Use

4.1.2 Use-specific risk mitigation measures

See General Directions for Use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See General Directions for Use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See General Directions for Use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See General Directions for Use

5. General directions for use

5.1. Instructions for use

Comply with the instructions for use.

To achieve sufficient control, good hygiene is necessary, so that apart from the bait, as little food as possible is available for the cockroaches. Place bait stations where cockroach activity is most heavy or where cockroaches may be seen congregating.

1. Use the appropriate number of stations, 1-5 cockroaches observed use up to 6 bait stations, 6-25 cockroaches observed use up to 8 bait stations and more than 25 cockroaches observed use up to 12 bait stations. Do not use more than 12 bait stations at a time.

Place one bait station every 5 linear meters or 0.5 square meter apart.

2. Place bait stations in areas **inaccessible to children and pets** such as kitchen and/or bathroom cabinets, under sinks, under appliances, behind the toilet.

3. For best results, place bait stations horizontally, next to walls or in corners. Bait stations can also be placed vertically, under the rim of the kitchen sink, for example.

4. Remove dead cockroaches daily.

5. Check the bait stations weekly and if empty replace immediately with new bait stations. Continue to replace bait stations until no more cockroaches are seen.

6. You should see fewer cockroaches within days. If 3 months after the start of the treatment the infestation continues, contact a professional pest controller.

5.2. Risk mitigation measures

Use only as directed. Do not open bait station.

Retain the outer carton for full use and safety instructions

Keep and place away from children and pets.

Never let children play with the bait station.

Do not apply bait station on surfaces in places that may come into contact with food & feedstuffs.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

If medical advice is needed, have product container or label at hand .

Likely direct or indirect effects:

Contains peanuts. May produce an allergic reaction.

Description of first aid measures:

IF INHALED : If symptoms occur call a POISON CENTRE or a doctor.

IF ON SKIN: Take off all contaminated clothing and wash it before reuse. Wash skin with water.If skin irritation or rash occurs: Get medical advice.

IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.

IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.

5.4. Instructions for safe disposal of the product and its packaging

After use, dispose of empty bait station to domestic waste (recycling). If bait remains dispose of bait station to household waste recycling centre as hazardous waste. Contact local council for details.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf life 2 years. Store in a cool dry environment.

6. Other information